


Transit Gateway Lab – Part 2



Steven Moran


TECHNICAL INSTRUCTOR

Overview of Lab Exercises




1 Create TGW with default settings.

2 Create route tables to isolate traffic.




Overview of Lab Exercises




1 Create TGW with default settings.

2 Create route tables to isolate traffic.

3 Create TGW peering to Region2.



Overview of Lab Exercises




1 Create TGW with default settings.


2 Create route tables to isolate traffic.

3 Create TGW peering to Region 2.

4 Cleanup.




Exercise 2 – Isolated VPC




- 1 Create new TGW route table
- 2 Reconfigure route table associations and propagations
- 3 Perform ping test

Exercise 2 – Isolated VPC




- 1 Create new TGW route table
- 2 Reconfigure route table associations and propagations
- 3 Perform ping test

Exercise 2 – Isolated VPC




- 1 Create new TGW route table
- 2 Reconfigure route table associations and propagations
- 3 Perform ping test

Exercise 3 – Peered TGW




1 Select peer-able region

- US-East-1 (N. Virginia)
- US-East-2 (Ohio)
- US-West-2 (Oregon)
- EU-West-1 (Ireland)
- EU-Central-1 (Frankfurt)



Exercise 3 – Peered TGW



Cleanup

In each region...

- 1 Delete attachments
- 2 Delete TGWs
- 3 Delete CloudFormation Stacks

