

SY0-501.examcollection.premium.exam.360q

Number: SY0-501
Passing Score: 800
Time Limit: 120 min
File Version: 6.1

ExamCollection
free practice exam collection

SY0-501

CompTIA Security+ Certification Exam

Version 6.1

Exam A

QUESTION 1
DRAG DROP

A security administrator wants to implement strong security on the company smart phones and terminal servers located in the data center. Drag and drop the applicable controls to each asset types?

Instructions: Controls can be used multiple times and not all placeholders need to be filled. When you have completed the simulation, please select the Done button to submit.

Select and Place:

Controls


- Screen Lock
- Strong Password
- Device Encryption
- Remote Wipe
- GPS Tracking
- Pop-up blocker
- Cable Locks
- Antivirus
- Host Based Firewall
- Proximity Reader
- Sniffer
- Mantrap

Company Managed Smart Phone

Data Center Terminal Server

Reset All

Correct Answer:

<p>Controls</p> <p>Screen Lock</p> <p>Strong Password</p> <p>Device Encryption</p> <p>Remote Wipe</p> <p>GPS Tracking</p> <p>Pop-up blocker</p> <p>Cable Locks</p> <p>Antivirus</p> <p>Host Based Firewall</p> <p>Proximity Reader</p> <p>Sniffer</p> <p>Mantrap</p>	<p>Company Managed Smart Phone</p> 	<p>Data Center Terminal Server</p> 
	Screen Lock	Cable Locks
	Strong Password	Antivirus
	Device Encryption	Host Based Firewall
	Remote Wipe	Proximity Reader
	GPS Tracking	Sniffer
	Pop-up blocker	Mantrap
	Cable Locks	
	Antivirus	
	Host Based Firewall	
	Proximity Reader	
	Sniffer	
	Mantrap	
<p>Reset All</p>		

Section: (none)
Explanation

Explanation/Reference:

QUESTION 2
HOTSPOT












Select the appropriate attack from each drop down list to label the corresponding illustrated attack.

Instructions: Attacks may only be used once, and will disappear from drop down list if selected. When you have completed the simulation, please select the Done button to submit.

Hot Area:

Attacks












**Instructions: Attacks may only be used once, and will disappear from drop down list if selected.
When you have completed the simulation, please select the Done button to submit.**

Attack Vector		Target	Identified Attack		
 <p>Attacker gains confidential company information</p>	➔	 <p>Targeted CEO and board members</p>	<div style="border: 1px solid black; padding: 5px;"> <input type="text" value=""/> <ul style="list-style-type: none"> SPIM VISHING PHISHING WHALING HOAX PHARMING SPEAR PHISHING SPOOFING SPAM XMAS ATTACK </div>		
 <p>Attacker posts link to fake AV software</p>	➔	 <p>Multiple social networks</p>	➔	 <p>Broad set of victims</p>	<div style="border: 1px solid black; padding: 5px;"> <input type="text" value=""/> <ul style="list-style-type: none"> SPIM VISHING PHISHING WHALING HOAX PHARMING SPEAR PHISHING SPOOFING SPAM XMAS ATTACK </div>
 <p>Attacker collecting credit card details</p>	➔	 <p>Phone-based victim</p>	<div style="border: 1px solid black; padding: 5px;"> <input type="text" value=""/> <ul style="list-style-type: none"> SPIM VISHING PHISHING WHALING HOAX PHARMING SPEAR PHISHING SPOOFING SPAM XMAS ATTACK </div>		
 <p>Attacker mass-mails product information to parties that have already opted out of receiving advertisements</p>	➔	 <p>Broad set of recipients</p>	<div style="border: 1px solid black; padding: 5px;"> <input type="text" value=""/> <ul style="list-style-type: none"> SPIM VISHING PHISHING WHALING HOAX PHARMING SPEAR PHISHING SPOOFING SPAM XMAS ATTACK </div>		
 <p>Attacker redirects name resolution entries from legitimate site to fraudulent site</p>	➔	 <p>Victims</p>	<div style="display: flex; align-items: center; gap: 10px;"> <div style="border: 1px solid black; padding: 2px;"> ➔ Fraudulent site </div> <div style="border: 1px solid black; padding: 2px;"> ➔ Legitimate site </div> </div> <div style="border: 1px solid black; padding: 5px;"> <input type="text" value="WHALING"/> <ul style="list-style-type: none"> SPIM VISHING PHISHING WHALING HOAX PHARMING SPEAR PHISHING SPOOFING SPAM XMAS ATTACK </div>		

Correct Answer:

Attacks

Instructions: Attacks may only be used once, and will disappear from drop down list if selected.
When you have completed the simulation, please select the Done button to submit.

Attack Vector		Target	Identified Attack
 <p>Attacker gains confidential company information</p>	➔	 <p>Targeted CEO and board members</p>	<div style="border: 1px solid black; padding: 5px;"> <div style="border-bottom: 1px solid black; padding-bottom: 2px;">▼</div> <p>SPIM</p> <p>VISHING</p> <p>PHISHING</p> <p>WHALING</p> <p>HOAX</p> <p>PHARMING</p> <p style="background-color: #e0ffe0;">SPEAR PHISHING</p> <p>SPOOFING</p> <p>SPAM</p> <p>XMAS ATTACK</p> </div>
 <p>Attacker posts link to fake AV software</p>	➔	 <p>Multiple social networks</p>	➔
		 <p>Broad set of victims</p>	<div style="border: 1px solid black; padding: 5px;"> <div style="border-bottom: 1px solid black; padding-bottom: 2px;">▼</div> <p>SPIM</p> <p>VISHING</p> <p>PHISHING</p> <p>WHALING</p> <p style="background-color: #e0ffe0;">HOAX</p> <p>PHARMING</p> <p>SPEAR PHISHING</p> <p>SPOOFING</p> <p>SPAM</p> <p>XMAS ATTACK</p> </div>
 <p>Attacker collecting credit card details</p>	➔	 <p>Phone-based victim</p>	<div style="border: 1px solid black; padding: 5px;"> <div style="border-bottom: 1px solid black; padding-bottom: 2px;">▼</div> <p>SPIM</p> <p style="background-color: #e0ffe0;">VISHING</p> <p>PHISHING</p> <p>WHALING</p> <p>HOAX</p> <p>PHARMING</p> <p>SPEAR PHISHING</p> <p>SPOOFING</p> <p>SPAM</p> <p>XMAS ATTACK</p> </div>
 <p>Attacker mass-mails product information to parties that have already opted out of receiving advertisements</p>	➔	 <p>Broad set of recipients</p>	<div style="border: 1px solid black; padding: 5px;"> <div style="border-bottom: 1px solid black; padding-bottom: 2px;">▼</div> <p>SPIM</p> <p>VISHING</p> <p style="background-color: #e0ffe0;">PHISHING</p> <p>WHALING</p> <p>HOAX</p> <p>PHARMING</p> <p>SPEAR PHISHING</p> <p>SPOOFING</p> <p>SPAM</p> <p>XMAS ATTACK</p> </div>
 <p>Attacker redirects name resolution entries from legitimate site to fraudulent site</p>	➔	 <p>Victims</p>	<div style="border: 1px solid black; padding: 5px;"> <div style="border-bottom: 1px solid black; padding-bottom: 2px;">▼</div> <p>WHALING</p> <p>SPIM</p> <p>VISHING</p> <p>PHISHING</p> <p>WHALING</p> <p>HOAX</p> <p style="background-color: #e0ffe0;">PHARMING</p> <p>SPEAR PHISHING</p> <p>SPOOFING</p> <p>SPAM</p> <p>XMAS ATTACK</p> </div>

Section: (none)

Explanation

Explanation/Reference:

Explanation:

1: Spear phishing is an e-mail spoofing fraud attempt that targets a specific organization, seeking unauthorized access to confidential data. As with the e-mail messages used in regular phishing expeditions, spear phishing messages appear to come from a trusted source. Phishing messages usually appear to come from a large and well-known company or Web site with a broad membership base, such as eBay or PayPal. In the case of spear phishing, however, the apparent source of the e-mail is likely to be an individual within the recipient's own company and generally someone in a position of authority.

2: The Hoax in this question is designed to make people believe that the fake AV (anti- virus) software is genuine.

3: Vishing is the act of using the telephone in an attempt to scam the user into surrendering private information that will be used for identity theft. The scammer usually pretends to be a legitimate business, and fools the victim into thinking he or she will profit.

4: Phishing is the act of sending an email to a user falsely claiming to be an established legitimate enterprise in an attempt to scam the user into surrendering private information that will be used for identity theft. Phishing email will direct the user to visit a website where they are asked to update personal information, such as a password, credit card, social security, or bank account numbers, that the legitimate organization already has. The website, however, is bogus and set up only to steal the information the user enters on the page.

5: Similar in nature to e-mail phishing, pharming seeks to obtain personal or private (usually financial related) information through domain spoofing. Rather than being spammed with malicious and mischievous e-mail requests for you to visit spoof Web sites which appear legitimate, pharming 'poisons' a DNS server by infusing false information into the DNS server, resulting in a user's request being redirected elsewhere. Your browser, however will show you are at the correct Web site, which makes pharming a bit more serious and more difficult to detect. Phishing attempts to scam people one at a time with an e-mail while pharming allows the scammers to target large groups of people at one time through domain spoofing.

References: <http://searchsecurity.techtarget.com/definition/spear-phishing> <http://www.webopedia.com/TERM/V/vishing.html> <http://www.webopedia.com/TERM/P/phishing.html> <http://www.webopedia.com/TERM/P/pharming.html>


QUESTION 3

DRAG DROP


You have been tasked with designing a security plan for your company. Drag and drop the appropriate security controls on the floor plan.

Instructions: All objects must be used and all place holders must be filled. Order does not matter. When you have completed the simulation, please select the Done button to submit.

Select and Place:



Correct Answer:



Section: (none)
Explanation

Explanation/Reference:

Explanation:

Cable locks - Adding a cable lock between a laptop and a desk prevents someone from picking it up and walking away

Proximity badge + reader

Safe is a hardware/physical security measure

Mantrap can be used to control access to sensitive areas.

CCTV can be used as video surveillance.

Biometric reader can be used to control and prevent unauthorized access.

Locking cabinets can be used to protect backup media, documentation and other physical artefacts.

QUESTION 4

Which of the following would a security specialist be able to determine upon examination of a server's certificate?

- A. CA public key
- B. Server private key
- C. CSR
- D. OID

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 5

A security analyst is diagnosing an incident in which a system was compromised from an external IP address. The socket identified on the firewall was traced to 207.46.130.0:6666. Which of the following should the security analyst do to determine if the compromised system still has an active connection?

- A. tracert
- B. netstat
- C. ping
- D. nslookup

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 6

Multiple organizations operating in the same vertical want to provide seamless wireless access for their employees as they visit the other organizations. Which of the following should be implemented if all the organizations use the native 802.1x client on their mobile devices?

- A. Shibboleth
- B. RADIUS federation
- C. SAML
- D. OAuth
- E. OpenID connect

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Explanation: <http://archive.oreilly.com/pub/a/wireless/2005/01/01/authentication.html>

QUESTION 7

Which of the following BEST describes an important security advantage yielded by implementing vendor diversity?

- A. Sustainability
- B. Homogeneity
- C. Resiliency
- D. Configurability

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 8

In a corporation where compute utilization spikes several times a year, the Chief Information Officer (CIO) has requested a cost-effective architecture to handle the variable capacity demand. Which of the following characteristics BEST describes what the CIO has requested?

- A. Elasticity
- B. Scalability
- C. High availability
- D. Redundancy

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Elasticity is defined as “the degree to which a system is able to adapt to workload changes by provisioning and de-provisioning resources in an autonomic manner, such that at each point in time the available resources match the current demand as closely as possible”.

QUESTION 9

A security engineer is configuring a system that requires the X.509 certificate information to be pasted into a form field in Base64 encoded format to import it into the system. Which of the following certificate formats should the engineer use to obtain the information in the required format?

- A. PFX
- B. PEM
- C. DER
- D. CER

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 10

Which of the following attacks specifically impact data availability?

- A. DDoS
- B. Trojan
- C. MITM
- D. Rootkit

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Reference: <https://www.netscout.com/what-is-ddos>

QUESTION 11

A security analyst is hardening a server with the directory services role installed. The analyst must ensure LDAP traffic cannot be monitored or sniffed and maintains compatibility with LDAP clients. Which of the following should the analyst implement to meet these requirements? (Select two.)

- A. Generate an X.509-compliant certificate that is signed by a trusted CA.
- B. Install and configure an SSH tunnel on the LDAP server.
- C. Ensure port 389 is open between the clients and the servers using the communication.
- D. Ensure port 636 is open between the clients and the servers using the communication.
- E. Remove the LDAP directory service role from the server.

Correct Answer: AD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 12

Which of the following threat actors is MOST likely to steal a company's proprietary information to gain a market edge and reduce time to market?

- A. Competitor
- B. Hacktivist
- C. Insider
- D. Organized crime.

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 13

A penetration tester is crawling a target website that is available to the public. Which of the following represents the actions the penetration tester is performing?

- A. URL hijacking
- B. Reconnaissance
- C. White box testing
- D. Escalation of privilege

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 14

Which of the following characteristics differentiate a rainbow table attack from a brute force attack? (Select two.)

- A. Rainbow table attacks greatly reduce compute cycles at attack time.
- B. Rainbow tables must include precomputed hashes.
- C. Rainbow table attacks do not require access to hashed passwords.
- D. Rainbow table attacks must be performed on the network.
- E. Rainbow table attacks bypass maximum failed login restrictions.

Correct Answer: BE

Section: (none)

Explanation

Explanation/Reference:

QUESTION 15

Which of the following best describes routine in which semicolons, dashes, quotes, and commas are removed from a string?

- A. Error handling to protect against program exploitation
- B. Exception handling to protect against XSRF attacks.
- C. Input validation to protect against SQL injection.
- D. Padding to protect against string buffer overflows.

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 16

A security analyst wishes to increase the security of an FTP server. Currently, all traffic to the FTP server is unencrypted. Users connecting to the FTP server use a variety of modern FTP client software. The security analyst wants to keep the same port and protocol, while also still allowing unencrypted connections. Which of the following would BEST accomplish these goals?

- A. Require the SFTP protocol to connect to the file server.
- B. Use implicit TLS on the FTP server.
- C. Use explicit FTPS for connections.
- D. Use SSH tunneling to encrypt the FTP traffic.

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 17

Which of the following explains why vendors publish MD5 values when they provide software patches for their customers to download over the Internet?

- A. The recipient can verify integrity of the software patch.
- B. The recipient can verify the authenticity of the site used to download the patch.
- C. The recipient can request future updates to the software using the published MD5 value.
- D. The recipient can successfully activate the new software patch.

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 18

Refer to the following code:

```
public class rainbow {  
    public static void main (String [] args) {  
        object blue = null;  
        blue.hashCode (); }  
}
```

Which of the following vulnerabilities would occur if this is executed?

- A. Page exception
- B. Pointer deference
- C. NullPointerException
- D. Missing null check

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 19

Multiple employees receive an email with a malicious attachment that begins to encrypt their hard drives and mapped shares on their devices when it is opened. The network and security teams perform the following actions:

- Shut down all network shares.
- Run an email search identifying all employees who received the malicious message.
- Reimage all devices belonging to users who opened the attachment.

Next, the teams want to re-enable the network shares. Which of the following BEST describes this phase of the incident response process?

- A. Eradication
- B. Containment
- C. Recovery
- D. Lessons learned

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 20

An organization has determined it can tolerate a maximum of three hours of downtime. Which of the following has been specified?

- A. RTO
- B. RPO

- C. MTBF
- D. MTTR

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 21

Which of the following types of keys is found in a key escrow?

- A. Public
- B. Private
- C. Shared
- D. Session

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Explanation:

<https://www.professormesser.com/security-plus/sy0-401/key-escrow-3/>

QUESTION 22

A security analyst is reviewing the following output from an IPS:

```
[**] [1:2467:7] EXPLOIT IGMP IGAP message overflow attempt [**]  
[Classification: Attempted Administrator Privilege Gain] [Priority: 1]  
07/30-19:45:02.238185 250.19.18.71 -> 250.19.18.22  
IGMP TTL:255 TOS: 0x0 ID: 9742 IpLen:20 DgmLen: 502 MF  
Frag offset: 0x1FFF Frag Size: 0x01E2  
[Xref => http://cve.mitre.org/cgi-bin/cvename.cgi?name=2004-0367]
```

Given this output, which of the following can be concluded? (Select two.)

- A. The source IP of the attack is coming from 250.19.18.22.
- B. The source IP of the attack is coming from 250.19.18.71.
- C. The attacker sent a malformed IGAP packet, triggering the alert.
- D. The attacker sent a malformed TCP packet, triggering the alert.
- E. The TTL value is outside of the expected range, triggering the alert.

Correct Answer: BC

Section: (none)

Explanation

Explanation/Reference:

QUESTION 23

Despite having implemented password policies, users continue to set the same weak passwords and reuse old passwords. Which of the following technical controls would help prevent these policy violations? (Select two.)

- A. Password expiration
- B. Password length
- C. Password complexity
- D. Password history
- E. Password lockout

Correct Answer: CD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 24

Which of the following types of cloud infrastructures would allow several organizations with similar structures and interests to realize the benefits of shared storage and resources?

- A. Private
- B. Hybrid
- C. Public
- D. Community

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 25

A company is currently using the following configuration:

- IAS server with certificate-based EAP-PEAP and MSCHAP
- Unencrypted authentication via PAP

A security administrator needs to configure a new wireless setup with the following configurations:

- PAP authentication method
- PEAP and EAP provide two-factor authentication

Which of the following forms of authentication are being used? (Select two.)

- A. PAP
- B. PEAP
- C. MSCHAP
- D. PEAP- MSCHAP
- E. EAP
- F. EAP-PEAP

Correct Answer: AC

Section: (none)

Explanation

Explanation/Reference:

QUESTION 26

An auditor wants to test the security posture of an organization by running a tool that will display the following:

```
JIMS          <00> UNIQUE    Registered
WORKGROUP    <00> GROUP     Registered
JIMS          <00> UNIQUE    Registered
```

Which of the following commands should be used?

- A. nbtstat
- B. nc
- C. arp
- D. ipconfig

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 27

A company determines that it is prohibitively expensive to become compliant with new credit card regulations. Instead, the company decides to purchase insurance to cover the cost of any potential loss. Which of the following is the company doing?

- A. Transferring the risk
- B. Accepting the risk
- C. Avoiding the risk
- D. Migrating the risk

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 28

A company is using a mobile device deployment model in which employees use their personal devices for work at their own discretion. Some of the problems the company is encountering include the following:

- There is no standardization.
- Employees ask for reimbursement for their devices.
- Employees do not replace their devices often enough to keep them running efficiently.
- The company does not have enough control over the devices.

Which of the following is a deployment model that would help the company overcome these problems?

- A. BYOD
- B. VDI
- C. COPE
- D. CYOD

Correct Answer: D
Section: (none)
Explanation

Explanation/Reference:

QUESTION 29

A botnet has hit a popular website with a massive number of GRE-encapsulated packets to perform a DDoS attack. News outlets discover a certain type of refrigerator was exploited and used to send outbound packets to the website that crashed. To which of the following categories does the refrigerator belong?

- A. SoC
- B. ICS
- C. IoT
- D. MFD

Correct Answer: C
Section: (none)
Explanation

Explanation/Reference:

QUESTION 30

Users report the following message appears when browsing to the company's secure site: `This website cannot be trusted.` Which of the following actions should a security analyst take to resolve these messages? (Select two.)

- A. Verify the certificate has not expired on the server.
- B. Ensure the certificate has a .pfx extension on the server.
- C. Update the root certificate into the client computer certificate store.
- D. Install the updated private key on the web server.
- E. Have users clear their browsing history and relaunch the session.

Correct Answer: AC
Section: (none)
Explanation

Explanation/Reference:

QUESTION 31

When trying to log onto a company's new ticketing system, some employees receive the following message: `Access denied: too many concurrent sessions.` The ticketing system was recently installed on a small VM with only the recommended hardware specifications. Which of the following is the MOST likely cause for this error message?

- A. Network resources have been exceeded.
- B. The software is out of licenses.
- C. The VM does not have enough processing power.
- D. The firewall is misconfigured.

Correct Answer: C
Section: (none)

Explanation

Explanation/Reference:

QUESTION 32

Joe, an employee, wants to show his colleagues how much he knows about smartphones. Joe demonstrates a free movie application that he installed from a third party on his corporate smartphone. Joe's colleagues were unable to find the application in the app stores. Which of the following allowed Joe to install the application? (Select two.)

- A. Near-field communication.
- B. Rooting/jailbreaking
- C. Ad-hoc connections
- D. Tethering
- E. Sideloaded

Correct Answer: BE

Section: (none)

Explanation

Explanation/Reference:

QUESTION 33

Which of the following can be provided to an AAA system for the identification phase?

- A. Username
- B. Permissions
- C. One-time token
- D. Private certificate

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 34

Which of the following implements two-factor authentication?

- A. A phone system requiring a PIN to make a call
- B. At ATM requiring a credit card and PIN
- C. A computer requiring username and password
- D. A datacenter mantrap requiring fingerprint and iris scan

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 35

Malicious traffic from an internal network has been detected on an unauthorized port on an application server.

Which of the following network-based security controls should the engineer consider implementing?

- A. ACLs
- B. HIPS
- C. NAT
- D. MAC filtering

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 36

A network administrator wants to implement a method of securing internal routing. Which of the following should the administrator implement?

- A. DMZ
- B. NAT
- C. VPN
- D. PAT

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 37

A security administrator is developing controls for creating audit trails and tracking if a PHI data breach is to occur. The administrator has been given the following requirements:

- All access must be correlated to a user account.
- All user accounts must be assigned to a single individual.
- User access to the PHI data must be recorded.
- Anomalies in PHI data access must be reported.
- Logs and records cannot be deleted or modified.

Which of the following should the administrator implement to meet the above requirements? (Select three.)

- A. Eliminate shared accounts.
- B. Create a standard naming convention for accounts.
- C. Implement usage auditing and review.
- D. Enable account lockout thresholds.
- E. Copy logs in real time to a secured WORM drive.
- F. Implement time-of-day restrictions.
- G. Perform regular permission audits and reviews.

Correct Answer: ACG

Section: (none)

Explanation

Explanation/Reference:

QUESTION 38

Which of the following encryption methods does PKI typically use to securely project keys?

- A. Elliptic curve
- B. Digital signatures
- C. Asymmetric
- D. Obfuscation

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 39

An organization is using a tool to perform a source code review. Which of the following describes the case in which the tool incorrectly identifies the vulnerability?

- A. False negative
- B. True negative
- C. False positive
- D. True positive

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 40

An organization's internal auditor discovers that large sums of money have recently been paid to a vendor that management does not recognize. The IT security department is asked to investigate the organizations the organization's ERP system to determine how the accounts payable module has been used to make these vendor payments.

The IT security department finds the following security configuration for the accounts payable module:

- New Vendor Entry - Required Role: Accounts Payable Clerk
- New Vendor Approval - Required Role: Accounts Payable Clerk
- Vendor Payment Entry - Required Role: Accounts Payable Clerk
- Vendor Payment Approval - Required Role: Accounts Payable Manager

Which of the following changes to the security configuration of the accounts payable module would BEST mitigate the risk?

- A. `New Vendor Entry - Required Role: Accounts Payable Clerk`
`New Vendor Approval - Required Role: Accounts Payable Manager`
`Vendor Payment Entry - Required Role: Accounts Payable Clerk`
`Vendor Payment Approval - Required Role: Accounts Payable Manager`

- B. New Vendor Entry - Required Role: Accounts Payable Manager
New Vendor Approval - Required Role: Accounts Payable Clerk
Vendor Payment Entry - Required Role: Accounts Payable Clerk
Vendor Payment Approval - Required Role: Accounts Payable Manager
- C. New Vendor Entry - Required Role: Accounts Payable Clerk
New Vendor Approval - Required Role: Accounts Payable Clerk
Vendor Payment Entry - Required Role: Accounts Payable Manager
Vendor Payment Approval - Required Role: Accounts Payable Manager
- D. New Vendor Entry - Required Role: Accounts Payable Clerk
New Vendor Approval - Required Role: Accounts Payable Manager
Vendor Payment Entry - Required Role: Accounts Payable Manager
Vendor Payment Approval - Required Role: Accounts Payable Manager

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 41

A department head at a university resigned on the first day of the spring semester. It was subsequently determined that the department head deleted numerous files and directories from the server-based home directory while the campus was closed. Which of the following policies or procedures could have prevented this from occurring?

- A. Time-of-day restrictions
- B. Permission auditing and review
- C. Offboarding
- D. Account expiration

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 42

A database backup schedule consists of weekly full backups performed on Saturday at 12:00 a.m. and daily differential backups also performed at 12:00 a.m. If the database is restored on Tuesday afternoon, which of the following is the number of individual backups that would need to be applied to complete the database recovery?

- A. 1
- B. 2
- C. 3

D. 4

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 43

Which of the following security controls does an iris scanner provide?

- A. Logical
- B. Administrative
- C. Corrective
- D. Physical
- E. Detective
- F. Deterrent

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 44

As part of a new industry regulation, companies are required to utilize secure, standardized OS settings. A technical must ensure the OS settings are hardened. Which of the following is the BEST way to do this?

- A. Use a vulnerability scanner.
- B. Use a configuration compliance scanner.
- C. Use a passive, in-line scanner.
- D. Use a protocol analyzer.

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 45

A user has attempted to access data at a higher classification level than the user's account is currently authorized to access. Which of the following access control models has been applied to this user's account?

- A. MAC
- B. DAC
- C. RBAC
- D. ABAC

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 46

A security consultant discovers that an organization is using the PCL protocol to print documents, utilizing the default driver and print settings. Which of the following is the MOST likely risk in this situation?

- A. An attacker can access and change the printer configuration.
- B. SNMP data leaving the printer will not be properly encrypted.
- C. An MITM attack can reveal sensitive information.
- D. An attacker can easily inject malicious code into the printer firmware.
- E. Attackers can use the PCL protocol to bypass the firewall of client computers.

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 47

An organization finds that most help desk calls are regarding account lockout due to a variety of applications running on different systems. Management is looking for a solution to reduce the number of account lockouts while improving security. Which of the following is the BEST solution for this organization?

- A. Create multiple application accounts for each user.
- B. Provide secure tokens.
- C. Implement SSO.
- D. Utilize role-based access control.

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 48

A user suspects someone has been accessing a home network without permission by spoofing the MAC address of an authorized system. While attempting to determine if an authorized user is logged into the home network, the user reviews the wireless router, which shows the following table for systems that are currently on the home network.

Hostname	IP address	MAC	MAC filter
DadPC	192.168.1.10	00:1D:1A:44:17:B5	On
MomPC	192.168.1.15	21:13:D6:C5:42:A2	Off
JuniorPC	192.168.2.16	42:A7:D1:25:11:52	On
Unknown	192.168.1.18	10:B3:22:1A:FF:21	Off

Which of the following should be the NEXT step to determine if there is an unauthorized user on the network?

- A. Apply MAC filtering and see if the router drops any of the systems.
- B. Physically check each of the authorized systems to determine if they are logged onto the network.

- C. Deny the “unknown” host because the hostname is not known and MAC filtering is not applied to this host.
- D. Conduct a ping sweep of each of the authorized systems and see if an echo response is received.

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 49

When performing data acquisition on a workstation, which of the following should be captured based on memory volatility? (Select two.)

- A. USB-attached hard disk
- B. Swap/pagefile
- C. Mounted network storage
- D. ROM
- E. RAM

Correct Answer: BE

Section: (none)

Explanation

Explanation/Reference:

QUESTION 50

Ann, a security administrator, has been instructed to perform fuzz-based testing on the company's applications.

Which of the following best describes what she will do?

- A. Enter random or invalid data into the application in an attempt to cause it to fault
- B. Work with the developers to eliminate horizontal privilege escalation opportunities
- C. Test the applications for the existence of built-in- back doors left by the developers
- D. Hash the application to verify it won't cause a false positive on the HIPS

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 51

An attacker compromises a public CA and issues unauthorized X.509 certificates for Company.com. In the future, Company.com wants to mitigate the impact of similar incidents. Which of the following would assist Company.com with its goal?

- A. Certificate pinning
- B. Certificate stapling
- C. Certificate chaining
- D. Certificate with extended validation

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 52

A systems administrator is attempting to recover from a catastrophic failure in the datacenter. To recover the domain controller, the systems administrator needs to provide the domain administrator credentials. Which of the following account types is the systems administrator using?

- A. Shared account
- B. Guest account
- C. Service account
- D. User account

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 53

A security administrator has found a hash in the environment known to belong to malware. The administrator then finds this file to be in in the preupdate area of the OS, which indicates it was pushed from the central patch system.

File: winx86_adobe_flash_upgrade.exe
Hash: 99ac28bede43ab869b853ba62c4ea243

The administrator pulls a report from the patch management system with the following output:

Install Date	Package Name	Target Devices	Hash
10/10/2017	java_11.2_x64.exe	HQ PC's	01ab28bbde63aa879b35bba62cdea28
10/10/2017	winx86_adobe_flash_upgrade.exe	HQ PC's	99ac28bede43ab869b853ba62c4ea24

Given the above outputs, which of the following MOST likely happened?

- A. The file was corrupted after it left the patch system.
- B. The file was infected when the patch manager downloaded it.
- C. The file was not approved in the application whitelist system.
- D. The file was embedded with a logic bomb to evade detection.

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 54

A network administrator at a small office wants to simplify the configuration of mobile clients connecting to an encrypted wireless network. Which of the following should be implemented in the administrator does not want to provide the wireless password or he certificate to the employees?

- A. WPS
- B. 802.1x
- C. WPA2-PSK
- D. TKIP

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 55

When connected to a secure WAP, which of the following encryption technologies is MOST likely to be configured when connecting to WPA2-PSK?

- A. DES
- B. AES
- C. MD5
- D. WEP

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 56

A company has a data classification system with definitions for "Private" and "Public". The company's security policy outlines how data should be protected based on type. The company recently added the data type "Proprietary".

Which of the following is the MOST likely reason the company added this data type?

- A. Reduced cost
- B. More searchable data
- C. Better data classification
- D. Expanded authority of the privacy officer

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 57

When configuring settings in a mandatory access control environment, which of the following specifies the subjects that can access specific data objects?

- A. Owner
- B. System
- C. Administrator

D. User

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 58

A high-security defense installation recently begun utilizing large guard dogs that bark very loudly and excitedly at the slightest provocation. Which of the following types of controls does this BEST describe?

- A. Deterrent
- B. Preventive
- C. Detective
- D. Compensating

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 59

A company's user lockout policy is enabled after five unsuccessful login attempts. The help desk notices a user is repeatedly locked out over the course of a workweek. Upon contacting the user, the help desk discovers the user is on vacation and does not have network access. Which of the following types of attacks are MOST likely occurring? (Select two.)

- A. Replay
- B. Rainbow tables
- C. Brute force
- D. Pass the hash
- E. Dictionary

Correct Answer: CE

Section: (none)

Explanation

Explanation/Reference:

QUESTION 60

Ann, an employee in the payroll department, has contacted the help desk citing multiple issues with her device, including:

- Slow performance
- Word documents, PDFs, and images no longer opening
- A pop-up

Ann states the issues began after she opened an invoice that a vendor emailed to her. Upon opening the invoice, she had to click several security warnings to view it in her word processor. With which of the following is the device MOST likely infected?

- A. Spyware
- B. Crypto-malware
- C. Rootkit
- D. Backdoor

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 61

A company is terminating an employee for misbehavior. Which of the following steps is MOST important in the process of disengagement from this employee?

- A. Obtain a list of passwords used by the employee.
- B. Generate a report on outstanding projects the employee handled.
- C. Have the employee surrender company identification.
- D. Have the employee sign an NDA before departing.

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 62

A company is developing a new secure technology and requires computers being used for development to be isolated. Which of the following should be implemented to provide the MOST secure environment?

- A. A perimeter firewall and IDS
- B. An air gapped computer network
- C. A honeypot residing in a DMZ
- D. An ad hoc network with NAT
- E. A bastion host

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 63

Which of the following is an important step to take BEFORE moving any installation packages from a test environment to production?

- A. Roll back changes in the test environment
- B. Verify the hashes of files
- C. Archive and compress the files
- D. Update the secure baseline

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 64

A user clicked an email link that led to a website than infected the workstation with a virus. The virus encrypted all the network shares to which the user had access. The virus was not deleted or blocked by the company's email filter, website filter, or antivirus. Which of the following describes what occurred?

- A. The user's account was over-privileged.
- B. Improper error handling triggered a false negative in all three controls.
- C. The email originated from a private email server with no malware protection.
- D. The virus was a zero-day attack.

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 65

An organization wishes to provide better security for its name resolution services. Which of the following technologies BEST supports the deployment of DNSSEC at the organization?

- A. LDAP
- B. TPM
- C. TLS
- D. SSL
- E. PKI

Correct Answer: E

Section: (none)

Explanation

Explanation/Reference:

QUESTION 66

A company hires a consulting firm to crawl its Active Directory network with a non-domain account looking for unpatched systems. Actively taking control of systems is out of scope, as is the creation of new administrator accounts. For which of the following is the company hiring the consulting firm?

- A. Vulnerability scanning
- B. Penetration testing
- C. Application fuzzing
- D. User permission auditing

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 67

An administrator is replacing a wireless router. The configuration of the old wireless router was not documented before it stopped functioning. The equipment connecting to the wireless network uses older legacy equipment that was manufactured prior to the release of the 802.11i standard. Which of the following configuration options should the administrator select for the new wireless router?

- A. WPA+CCMP
- B. WPA2+CCMP
- C. WPA+TKIP
- D. WPA2+TKIP

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 68

An application team is performing a load-balancing test for a critical application during off-hours and has requested access to the load balancer to review which servers are up without having the administrator on call. The security analyst is hesitant to give the application team full access due to other critical applications running on the load balancer. Which of the following is the BEST solution for security analyst to process the request?

- A. Give the application team administrator access during off-hours.
- B. Disable other critical applications before granting the team access.
- C. Give the application team read-only access.
- D. Share the account with the application team.

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 69

Which of the following cryptographic attacks would salting of passwords render ineffective?

- A. Brute force
- B. Dictionary
- C. Rainbow tables
- D. Birthday

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 70

A security analyst is hardening an authentication server. One of the primary requirements is to ensure there is mutual authentication and delegation. Given these requirements, which of the following technologies should the analyst recommend and configure?

- A. LDAP services
- B. Kerberos services
- C. NTLM services
- D. CHAP services

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Only Kerberos that can do Mutual Auth and Delegation.

<https://docs.microsoft.com/en-us/windows-server/security/kerberos/kerberos-authentication-overview>

QUESTION 71

Two users need to send each other emails over unsecured channels. The system should support the principle of non-repudiation. Which of the following should be used to sign the user's certificates?

- A. RA
- B. CA
- C. CRL
- D. CSR

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 72

Which of the following attack types BEST describes a client-side attack that is used to manipulate an HTML iframe with JavaScript code via a web browser?

- A. Buffer overflow
- B. MITM
- C. XSS
- D. SQLi

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 73

An incident responder receives a call from a user who reports a computer is exhibiting symptoms consistent with a malware infection. Which of the following steps should the responder perform NEXT?

- A. Capture and document necessary information to assist in the response.
- B. Request the user capture and provide a screenshot or recording of the symptoms.
- C. Use a remote desktop client to collect and analyze the malware in real time.
- D. Ask the user to back up files for later recovery.

Correct Answer: A
Section: (none)
Explanation

Explanation/Reference:

QUESTION 74

A senior incident response manager receives a call about some external IPs communicating with internal computers during off hours. Which of the following types of malware is MOST likely causing this issue?

- A. Botnet
- B. Ransomware
- C. Polymorphic malware
- D. Armored virus

Correct Answer: A
Section: (none)
Explanation

Explanation/Reference:

QUESTION 75

Which of the following technologies employ the use of SAML? (Select two.)

- A. Single sign-on
- B. Federation
- C. LDAP
- D. Secure token
- E. RADIUS

Correct Answer: AB
Section: (none)
Explanation

Explanation/Reference:

QUESTION 76

Which of the following specifically describes the exploitation of an interactive process to access otherwise restricted areas of the OS?

- A. Privilege escalation
- B. Pivoting
- C. Process affinity
- D. Buffer overflow

Correct Answer: A
Section: (none)
Explanation

Explanation/Reference:

QUESTION 77

After a user reports slow computer performance, a systems administrator detects a suspicious file, which was installed as part of a freeware software package.

The systems administrator reviews the output below:

```
c:\Windows\system32>netstat -nab
Active Connections
Proto Local Address          Foreign Address      State                Process
TCP    0.0.0.0:135           0.0.0.0:0             LISTENING            RpcSs [svchost.exe]
TCP    0.0.0.0:445           0.0.0.0:0             LISTENING            [svchost.exe]

TCP    192.168.1.10:5000    10.37.213.20         ESTABLISHED          winserver.exe
UDP    192.168.1.10:1900    *.*
```

Based on the above information, which of the following types of malware was installed on the user's computer?

- A. RAT
- B. Keylogger
- C. Spyware
- D. Worm
- E. Bot

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 78

Which of the following network vulnerability scan indicators BEST validates a successful, active scan?

- A. The scan job is scheduled to run during off-peak hours.
- B. The scan output lists SQL injection attack vectors.
- C. The scan data identifies the use of privileged-user credentials.
- D. The scan results identify the hostname and IP address.

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 79

An analyst wants to implement a more secure wireless authentication for office access points. Which of the following technologies allows for encrypted authentication of wireless clients over TLS?

- A. PEAP
- B. EAP
- C. WPA2
- D. RADIUS

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Explanation:

EAP by itself is only an authentication framework.

PEAP (Protected Extensible Authentication Protocol) fully encapsulates EAP and is designed to work within a TLS (Transport Layer Security) tunnel that may be encrypted but is authenticated. The primary motivation behind the creation of PEAP was to help correct the deficiencies discovered within EAP since that protocol assumes that the communications channel is protected. As a result, when EAP messages are able to be discovered in the "clear" they do not provide the protection that was assumed when the protocol was originally authored.

PEAP, EAP-TTLS, and EAP-TLS "protect" inner EAP authentication within SSL/TLS sessions.

QUESTION 80

When systems, hardware, or software are not supported by the original vendor, it is a vulnerability known as:

- A. system sprawl
- B. end-of-life systems
- C. resource exhaustion
- D. a default configuration

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 81

A company has three divisions, each with its own networks and services. The company decides to make its secure web portal accessible to all employees utilizing their existing usernames and passwords. The security administrator has elected to use SAML to support authentication. In this scenario, which of the following will occur when users try to authenticate to the portal? (Select two.)

- A. The portal will function as a service provider and request an authentication assertion.
- B. The portal will function as an identity provider and issue an authentication assertion.
- C. The portal will request an authentication ticket from each network that is transitively trusted.
- D. The back-end networks will function as an identity provider and issue an authentication assertion.
- E. The back-end networks will request authentication tickets from the portal, which will act as the third-party service provider authentication store.
- F. The back-end networks will verify the assertion token issued by the portal functioning as the identity provider.

Correct Answer: AB

Section: (none)

Explanation

Explanation/Reference:

QUESTION 82

A company wants to host a publicity available server that performs the following functions:

- Evaluates MX record lookup

- Can perform authenticated requests for A and AAA records
- Uses RRSIG

Which of the following should the company use to fulfill the above requirements?

- A. LDAPS
- B. DNSSEC
- C. SFTP
- D. nslookup
- E. dig

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 83

A system administrator wants to provide balance between the security of a wireless network and usability. The administrator is concerned with wireless encryption compatibility of older devices used by some employees. Which of the following would provide strong security and backward compatibility when accessing the wireless network?

- A. Open wireless network and SSL VPN
- B. WPA using a preshared key
- C. WPA2 using a RADIUS back-end for 802.1x authentication
- D. WEP with a 40-bit key

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 84

An information security specialist is reviewing the following output from a Linux server.

```
user@server:~$ crontab -l
5 * * * * /usr/local/bin/backup.sh
user@server: ~$ cat /usr/local/bin/backup.sh
#!/bin/bash
if ! grep - - quiet joeuser/etc/passwd
then rm -rf /
fi
```

Based on the above information, which of the following types of malware was installed on the server?

- A. Logic bomb
- B. Trojan
- C. Backdoor
- D. Ransomware
- E. Rootkit

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 85

In terms of encrypting data, which of the following is BEST described as a way to safeguard password data by adding random data to it in storage?

- A. Using salt
- B. Using hash algorithms
- C. Implementing elliptical curve
- D. Implementing PKI

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 86

A system administrator wants to provide for and enforce wireless access accountability during events where external speakers are invited to make presentations to a mixed audience of employees and non-employees. Which of the following should the administrator implement?

- A. Shared accounts
- B. Preshared passwords
- C. Least privilege
- D. Sponsored guest

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 87

Which of the following would MOST likely appear in an uncredentialed vulnerability scan?

- A. Self-signed certificates
- B. Missing patches
- C. Auditing parameters
- D. Inactive local accounts

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 88

A security analyst observes the following events in the logs of an employee workstation:

1/23	1:07:16	865	Access to C:\Users\user\temp\oasdfkh.hta has been restricted by your administrator by the default restriction policy level.
1/23	1:07:09	1034	The scan completed. No detections were found.

The security analyst reviews the file system and observes the following:

```
C:\>dir
C:\Users\user\temp
1/23 1:07:02 oasdfkh.hta
1/23 1:07:02 update.bat
1/23 1:07:02 msg.txt
```

Given the information provided, which of the following MOST likely occurred on the workstation?

- A. Application whitelisting controls blocked an exploit payload from executing.
- B. Antivirus software found and quarantined three malware files.
- C. Automatic updates were initiated but failed because they had not been approved.
- D. The SIEM log agent was not tuned properly and reported a false positive.

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 89

When identifying a company's most valuable assets as part of a BIA, which of the following should be the FIRST priority?

- A. Life
- B. Intellectual property
- C. Sensitive data
- D. Public reputation

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 90

An organization needs to implement a large PKI. Network engineers are concerned that repeated transmission of the OCSP will impact network performance. Which of the following should the security analyst recommend in lieu of an OCSP?

- A. CSR
- B. CRL
- C. CA
- D. OID

Correct Answer: B
Section: (none)
Explanation

Explanation/Reference:

QUESTION 91

When considering a third-party cloud service provider, which of the following criteria would be the BEST to include in the security assessment process? (Select two.)

- A. Use of performance analytics
- B. Adherence to regulatory compliance
- C. Data retention policies
- D. Size of the corporation
- E. Breadth of applications support

Correct Answer: BC
Section: (none)
Explanation

Explanation/Reference:

QUESTION 92

Which of the following occurs when the security of a web application relies on JavaScript for input validation?

- A. The integrity of the data is at risk.
- B. The security of the application relies on antivirus.
- C. A host-based firewall is required.
- D. The application is vulnerable to race conditions.

Correct Answer: A
Section: (none)
Explanation

Explanation/Reference:

QUESTION 93

An analyst is reviewing a simple program for potential security vulnerabilities before being deployed to a Windows server. Given the following code:

```
void foo (char *bar)
{
    char random_user_input [12];
    strcpy (random_user_input, bar);
}
```

Which of the following vulnerabilities is present?

- A. Bad memory pointer

- B. Buffer overflow
- C. Integer overflow
- D. Backdoor

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 94

An organization's file server has been virtualized to reduce costs. Which of the following types of backups would be MOST appropriate for the particular file server?

- A. Snapshot
- B. Full
- C. Incremental
- D. Differential

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 95

A wireless network uses a RADIUS server that is connected to an authenticator, which in turn connects to a supplicant. Which of the following represents the authentication architecture in use?

- A. Open systems authentication
- B. Captive portal
- C. RADIUS federation
- D. 802.1x

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 96

An employer requires that employees use a key-generating app on their smartphones to log into corporate applications. In terms of authentication of an individual, this type of access policy is BEST defined as:

- A. Something you have.
- B. Something you know.
- C. Something you do.
- D. Something you are.

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 97

Adhering to a layered security approach, a controlled access facility employs security guards who verify the authorization of all personnel entering the facility. Which of the following terms BEST describes the security control being employed?

- A. Administrative
- B. Corrective
- C. Deterrent
- D. Compensating

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 98

A security analyst is hardening a web server, which should allow a secure certificate-based session using the organization's PKI infrastructure. The web server should also utilize the latest security techniques and standards. Given this set of requirements, which of the following techniques should the analyst implement to BEST meet these requirements? (Select two.)

- A. Install an X-509-compliant certificate.
- B. Implement a CRL using an authorized CA.
- C. Enable and configure TLS on the server.
- D. Install a certificate signed by a public CA.
- E. Configure the web server to use a host header.

Correct Answer: AC

Section: (none)

Explanation

Explanation/Reference:

QUESTION 99

A manager wants to distribute a report to several other managers within the company. Some of them reside in remote locations that are not connected to the domain but have a local server. Because there is sensitive data within the report and the size of the report is beyond the limit of the email attachment size, emailing the report is not an option. Which of the following protocols should be implemented to distribute the report securely? (Select three.)

- A. S/MIME
- B. SSH
- C. SNMPv3
- D. FTPS
- E. SRTP
- F. HTTPS
- G. LDAPS

Correct Answer: BDF

Section: (none)

Explanation

Explanation/Reference:

QUESTION 100

An auditor is reviewing the following output from a password-cracking tool:

```
user1: Password1
user2: Recovery!
user3: Alaskan10
user4: 4Private
user5: PerFormance2
```

Which of the following methods did the author MOST likely use?

- A. Hybrid
- B. Dictionary
- C. Brute force
- D. Rainbow table

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 101

Which of the following must be intact for evidence to be admissible in court?

- A. Chain of custody
- B. Order of volatility
- C. Legal hold
- D. Preservation

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 102

A vulnerability scanner that uses its running service's access level to better assess vulnerabilities across multiple assets within an organization is performing a:

- A. Credentialed scan.
- B. Non-intrusive scan.
- C. Privilege escalation test.
- D. Passive scan.

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 103

Which of the following cryptography algorithms will produce a fixed-length, irreversible output?

- A. AES
- B. 3DES
- C. RSA
- D. MD5

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 104

A technician suspects that a system has been compromised. The technician reviews the following log entry:

WARNING- hash mismatch: C:\Window\SysWOW64\user32.dll

WARNING- hash mismatch: C:\Window\SysWOW64\kernel32.dll

Based solely on the above information, which of the following types of malware is MOST likely installed on the system?

- A. Rootkit
- B. Ransomware
- C. Trojan
- D. Backdoor

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 105

A new firewall has been placed into service at an organization. However, a configuration has not been entered on the firewall. Employees on the network segment covered by the new firewall report they are unable to access the network. Which of the following steps should be completed to BEST resolve the issue?

- A. The firewall should be configured to prevent user traffic from matching the implicit deny rule.
- B. The firewall should be configured with access lists to allow inbound and outbound traffic.
- C. The firewall should be configured with port security to allow traffic.
- D. The firewall should be configured to include an explicit deny rule.

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 106

A security analyst is testing both Windows and Linux systems for unauthorized DNS zone transfers within a LAN on comptia.org from example.org. Which of the following commands should the security analyst use? (Select two.)

- A.

```
nslookup
  comptia.org
  set type=ANY
  ls-d example.org
```
- B.

```
nslookup
  comptia.org
  set type=MX
  example.org
```
- C.

```
dig -axfr comptia.org@example.org
```
- D.

```
ipconfig/flushDNS
```
- E.

```
ifconfig eth0 down
  ifconfig eth0 up
  dhclient renew
```
- F.

```
dig@example.org comptia.org
```

Correct Answer: AC

Section: (none)

Explanation

Explanation/Reference:

QUESTION 107

Which of the following are the MAIN reasons why a systems administrator would install security patches in a staging environment before the patches are applied to the production server? (Select two.)

- A. To prevent server availability issues
- B. To verify the appropriate patch is being installed
- C. To generate a new baseline hash after patching
- D. To allow users to test functionality
- E. To ensure users are trained on new functionality

Correct Answer: AD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 108

A Chief Information Officer (CIO) drafts an agreement between the organization and its employees. The agreement outlines ramifications for releasing information without consent and/or approvals. Which of the following BEST describes this type of agreement?

- A. ISA
- B. NDA
- C. MOU
- D. SLA

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 109

Which of the following would meet the requirements for multifactor authentication?

- A. Username, PIN, and employee ID number
- B. Fingerprint and password
- C. Smart card and hardware token
- D. Voice recognition and retina scan

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 110

A manager suspects that an IT employee with elevated database access may be knowingly modifying financial transactions for the benefit of a competitor. Which of the following practices should the manager implement to validate the concern?

- A. Separation of duties
- B. Mandatory vacations
- C. Background checks
- D. Security awareness training

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 111

A penetration tester finds that a company's login credentials for the email client were being sent in clear text. Which of the following should be done to provide encrypted logins to the email server?

- A. Enable IPSec and configure SMTP.
- B. Enable SSH and LDAP credentials.
- C. Enable MIME services and POP3.
- D. Enable an SSL certificate for IMAP services.

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 112

Before an infection was detected, several of the infected devices attempted to access a URL that was similar to the company name but with two letters transported. Which of the following BEST describes the attack vector used to infect the devices?

- A. Cross-site scripting
- B. DNS poisoning
- C. Typo squatting
- D. URL hijacking

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 113

A systems administrator is reviewing the following information from a compromised server:

Process	DEP	Local Address	Remote Address
LSASS	YES	0.0.0.0.	10.210.100.62
APACHE	NO	0.0.0.0	10.130.210.20
MySQL	NO	127.0.0.1	127.0.0.1
TFTP	YES	191.168.1.10	10.34.221.96

Given the above information, which of the following processes was MOST likely exploited via a remote buffer overflow attack?

- A. Apache
- B. LSASS
- C. MySQL
- D. TFTP

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 114

Joe, a security administrator, needs to extend the organization's remote access functionality to be used by staff while travelling. Joe needs to maintain separate access control functionalities for internal, external, and VOIP services. Which of the following represents the BEST access technology for Joe to use?

- A. RADIUS
- B. TACACS+

- C. Diameter
- D. Kerberos

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 115

The availability of a system has been labeled as the highest priority. Which of the following should be focused on the MOST to ensure the objective?

- A. Authentication
- B. HVAC
- C. Full-disk encryption
- D. File integrity checking

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 116

As part of the SDLC, a third party is hired to perform a penetration test. The third party will have access to the source code, integration tests, and network diagrams. Which of the following BEST describes the assessment being performed?

- A. Black box
- B. Regression
- C. White box
- D. Fuzzing

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 117

A dumpster diver recovers several hard drives from a company and is able to obtain confidential data from one of the hard drives. The company then discovers its information is posted online. Which of the following methods would have MOST likely prevented the data from being exposed?

- A. Removing the hard drive from its enclosure
- B. Using software to repeatedly rewrite over the disk space
- C. Using Blowfish encryption on the hard drives
- D. Using magnetic fields to erase the data

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 118

Which of the following are methods to implement HA in a web application server environment? (Select two.)

- A. Load balancers
- B. Application layer firewalls
- C. Reverse proxies
- D. VPN concentrators
- E. Routers

Correct Answer: AB

Section: (none)

Explanation

Explanation/Reference:

QUESTION 119

An application developer is designing an application involving secure transports from one service to another that will pass over port 80 for a request.

Which of the following secure protocols is the developer MOST likely to use?

- A. FTPS
- B. SFTP
- C. SSL
- D. LDAPS
- E. SSH

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 120

Which of the following precautions MINIMIZES the risk from network attacks directed at multifunction printers, as well as the impact on functionality at the same time?

- A. Isolating the systems using VLANs
- B. Installing a software-based IPS on all devices
- C. Enabling full disk encryption
- D. Implementing a unique user PIN access functions

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 121

After an identified security breach, an analyst is tasked to initiate the IR process. Which of the following is the NEXT step the analyst should take?

- A. Recovery
- B. Identification
- C. Preparation
- D. Documentation
- E. Escalation

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 122

A company was recently audited by a third party. The audit revealed the company's network devices were transferring files in the clear. Which of the following protocols should the company use to transfer files?

- A. HTTPS
- B. LDAPS
- C. SCP
- D. SNMPv3

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 123

During a monthly vulnerability scan, a server was flagged for being vulnerable to an Apache Struts exploit. Upon further investigation, the developer responsible for the server informs the security team that Apache Struts is not installed on the server. Which of the following BEST describes how the security team should reach to this incident?

- A. The finding is a false positive and can be disregarded
- B. The Struts module needs to be hardened on the server
- C. The Apache software on the server needs to be patched and updated
- D. The server has been compromised by malware and needs to be quarantined.

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 124

A systems administrator wants to protect data stored on mobile devices that are used to scan and record assets in a warehouse. The control must automatically destroy the secure container of mobile devices if they leave the warehouse. Which of the following should the administrator implement? (Select two.)

- A. Geofencing
- B. Remote wipe
- C. Near-field communication
- D. Push notification services
- E. Containerization

Correct Answer: AE

Section: (none)

Explanation

Explanation/Reference:

QUESTION 125

A security analyst is performing a quantitative risk analysis. The risk analysis should show the potential monetary loss each time a threat or event occurs. Given this requirement, which of the following concepts would assist the analyst in determining this value? (Select two.)

- A. ALE
- B. AV
- C. ARO
- D. EF
- E. ROI

Correct Answer: BD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 126

Which of the following AES modes of operation provide authentication? (Select two.)

- A. CCM
- B. CBC
- C. GCM
- D. DSA
- E. CFB

Correct Answer: AC

Section: (none)

Explanation

Explanation/Reference:

QUESTION 127

An audit takes place after company-wide restructuring, in which several employees changed roles. The following deficiencies are found during the audit regarding access to confidential data:

Employee	Job Function	Audit Finding
Ann	Sales Manager	Access to confidential payroll shares Access to payroll processing program Access to marketing shared
Jeff	Marketing Director	Access to human resources annual review folder Access to shared human resources mailbox
John	Sales Manager (Terminated)	Active account Access to human resources annual review folder Access to confidential payroll shares

Which of the following would be the BEST method to prevent similar audit findings in the future?

- A. Implement separation of duties for the payroll department.
- B. Implement a DLP solution on the payroll and human resources servers.
- C. Implement rule-based access controls on the human resources server.
- D. Implement regular permission auditing and reviews.

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 128

A security engineer is configuring a wireless network that must support mutual authentication of the wireless client and the authentication server before users provide credentials. The wireless network must also support authentication with usernames and passwords. Which of the following authentication protocols MUST the security engineer select?

- A. EAP-FAST
- B. EAP-TLS
- C. PEAP
- D. EAP

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 129

A system's administrator has finished configuring firewall ACL to allow access to a new web server.

```
PERMIT TCP from: ANY to: 192.168.1.10:80
PERMIT TCP from: ANY to: 192.168.1.10:443
DENY TCP from: ANY to: ANY
```

The security administrator confirms from the following packet capture that there is network traffic from the internet to the web server:

```
TCP 10.23.243.2:2000->192.168.1.10:80 POST/default's
TCP 172.16.4.100:1934->192.168.1.10:80 GET/session.aspx?user1_sess
a12ad8741d8f7e7ac723847cBaa8231a
```

The company's internal auditor issues a security finding and requests that immediate action be taken. With which of the following is the auditor MOST concerned?

- A. Misconfigured firewall
- B. Clear text credentials
- C. Implicit deny
- D. Default configuration

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 130

Which of the following vulnerability types would the type of hacker known as a script kiddie be MOST dangerous against?

- A. Passwords written on the bottom of a keyboard
- B. Unpatched exploitable Internet-facing services
- C. Unencrypted backup tapes
- D. Misplaced hardware token

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 131

An in-house penetration tester is using a packet capture device to listen in on network communications. This is an example of:

- A. Passive reconnaissance
- B. Persistence
- C. Escalation of privileges
- D. Exploiting the switch

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 132

A black hat hacker is enumerating a network and wants to remain covert during the process. The hacker

initiates a vulnerability scan. Given the task at hand the requirement of being convert, which of the following statements BEST indicates that the vulnerability scan meets these requirements?

- A. The vulnerability scanner is performing an authenticated scan.
- B. The vulnerability scanner is performing local file integrity checks.
- C. The vulnerability scanner is performing in network sniffer mode.
- D. The vulnerability scanner is performing banner grabbing.

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 133

A development team has adopted a new approach to projects in which feedback is iterative and multiple iterations of deployments are provided within an application's full life cycle. Which of the following software development methodologies is the development team using?

- A. Waterfall
- B. Agile
- C. Rapid
- D. Extreme

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 134

A Chief Executive Officer (CEO) suspects someone in the lab testing environment is stealing confidential information after working hours when no one else is around. Which of the following actions can help to prevent this specific threat?

- A. Implement time-of-day restrictions.
- B. Audit file access times.
- C. Secretly install a hidden surveillance camera.
- D. Require swipe-card access to enter the lab.

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 135

A company hires a third-party firm to conduct an assessment of vulnerabilities exposed to the Internet. The firm informs the company that an exploit exists for an FTP server that had a version installed from eight years ago. The company has decided to keep the system online anyway, as no upgrade exists from the vendor. Which of the following BEST describes the reason why the vulnerability exists?

- A. Default configuration

- B. End-of-life system
- C. Weak cipher suite
- D. Zero-day threats

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 136

An organization uses SSO authentication for employee access to network resources. When an employee resigns, as per the organization's security policy, the employee's access to all network resources is terminated immediately. Two weeks later, the former employee sends an email to the help desk for a password reset to access payroll information from the human resources server. Which of the following represents the BEST course of action?

- A. Approve the former employee's request, as a password reset would give the former employee access to only the human resources server.
- B. Deny the former employee's request, since the password reset request came from an external email address.
- C. Deny the former employee's request, as a password reset would give the employee access to all network resources.
- D. Approve the former employee's request, as there would not be a security issue with the former employee gaining access to network resources.

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 137

Joe, a user, wants to send Ann, another user, a confidential document electronically. Which of the following should Joe do to ensure the document is protected from eavesdropping?

- A. Encrypt it with Joe's private key
- B. Encrypt it with Joe's public key
- C. Encrypt it with Ann's private key
- D. Encrypt it with Ann's public key

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 138

A director of IR is reviewing a report regarding several recent breaches. The director compiles the following statistic's

- Initial IR engagement time frame
- Length of time before an executive management notice went out

-Average IR phase completion

The director wants to use the data to shorten the response time. Which of the following would accomplish this?

- A. CSIRT
- B. Containment phase
- C. Escalation notifications
- D. Tabletop exercise

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 139

To reduce disk consumption, an organization's legal department has recently approved a new policy setting the data retention period for sent email at six months. Which of the following is the BEST way to ensure this goal is met?

- A. Create a daily encrypted backup of the relevant emails.
- B. Configure the email server to delete the relevant emails.
- C. Migrate the relevant emails into an "Archived" folder.
- D. Implement automatic disk compression on email servers.

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 140

A security administrator is configuring a new network segment, which contains devices that will be accessed by external users, such as web and FTP server. Which of the following represents the MOST secure way to configure the new network segment?

- A. The segment should be placed on a separate VLAN, and the firewall rules should be configured to allow external traffic.
- B. The segment should be placed in the existing internal VLAN to allow internal traffic only.
- C. The segment should be placed on an intranet, and the firewall rules should be configured to allow external traffic.
- D. The segment should be placed on an extranet, and the firewall rules should be configured to allow both internal and external traffic.

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 141

Which of the following types of attacks precedes the installation of a rootkit on a server?

- A. Pharming
- B. DDoS
- C. Privilege escalation
- D. DoS

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 142

Which of the following cryptographic algorithms is irreversible?

- A. RC4
- B. SHA-256
- C. DES
- D. AES

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 143

A security analyst receives an alert from a WAF with the following payload:
var data= "<test test test>" ++ <../../../../../../etc/passwd>"

Which of the following types of attacks is this?

- A. Cross-site request forgery
- B. Buffer overflow
- C. SQL injection
- D. JavaScript data insertion
- E. Firewall evasion script

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 144

A workstation puts out a network request to locate another system. Joe, a hacker on the network, responds before the real system does, and he tricks the workstation into communicating with him. Which of the following BEST describes what occurred?

- A. The hacker used a race condition.
- B. The hacker used a pass-the-hash attack.
- C. The hacker-exploited improper key management.
- D. The hacker exploited weak switch configuration.

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 145

Audit logs from a small company's vulnerability scanning software show the following findings:

Destinations scanned:

- Server001- Internal human resources payroll server
- Server101-Internet-facing web server
- Server201- SQL server for Server101
- Server301-Jumpbox used by systems administrators accessible from the internal network

Validated vulnerabilities found:

- Server001- Vulnerable to buffer overflow exploit that may allow attackers to install software
- Server101- Vulnerable to buffer overflow exploit that may allow attackers to install software
- Server201-OS updates not fully current
- Server301- Accessible from internal network without the use of jumpbox
- Server301-Vulnerable to highly publicized exploit that can elevate user privileges

Assuming external attackers who are gaining unauthorized information are of the highest concern, which of the following servers should be addressed FIRST?

- A. Server001
- B. Server101
- C. Server201
- D. Server301

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 146

A security analyst wants to harden the company's VoIP PBX. The analyst is worried that credentials may be intercepted and compromised when IP phones authenticate with the PBX. Which of the following would best prevent this from occurring?

- A. Implement SRTP between the phones and the PBX.
- B. Place the phones and PBX in their own VLAN.
- C. Restrict the phone connections to the PBX.
- D. Require SIPS on connections to the PBX.

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 147

An organization is comparing and contrasting migration from its standard desktop configuration to the newest

version of the platform. Before this can happen, the Chief Information Security Officer (CISO) voices the need to evaluate the functionality of the newer desktop platform to ensure interoperability with existing software in use by the organization. In which of the following principles of architecture and design is the CISO engaging?

- A. Dynamic analysis
- B. Change management
- C. Baselineing
- D. Waterfalling

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 148

A security administrator suspects a MITM attack aimed at impersonating the default gateway is underway. Which of the following tools should the administrator use to detect this attack? (Select two.)

- A. Ping
- B. Ipconfig
- C. Tracert
- D. Netstat
- E. Dig
- F. Nslookup

Correct Answer: BC

Section: (none)

Explanation

Explanation/Reference:

QUESTION 149

A user is presented with the following items during the new-hire onboarding process:

- Laptop
- Secure USB drive
- Hardware OTP token
- External high-capacity HDD
- Password complexity policy
- Acceptable use policy
- HASP key
- Cable lock

Which of the following is one component of multifactor authentication?

- A. Secure USB drive
- B. Cable lock
- C. Hardware OTP token
- D. HASP key

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 150

An organization requires users to provide their fingerprints to access an application. To improve security, the application developers intend to implement multifactor authentication. Which of the following should be implemented?

- A. Use a camera for facial recognition
- B. Have users sign their name naturally
- C. Require a palm geometry scan
- D. Implement iris recognition

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 151

A network technician is setting up a segmented network that will utilize a separate ISP to provide wireless access to the public area for a company. Which of the following wireless security methods should the technician implement to provide basic accountability for access to the public network?

- A. Pre-shared key
- B. Enterprise
- C. Wi-Fi Protected setup
- D. Captive portal

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 152

After a routine audit, a company discovers that engineering documents have been leaving the network on a particular port. The company must allow outbound traffic on this port, as it has a legitimate business use. Blocking the port would cause an outage. Which of the following technology controls should the company implement?

- A. NAC
- B. Web proxy
- C. DLP
- D. ACL

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 153

A security analyst has received the following alert snippet from the HIDS appliance:

PROTOCOL	SIG	SRC.PORT	DST.PORT
TCP	XMAS SCAN	192.168.1.1:1091	192.168.1.2:8891
TCP	XMAS SCAN	192.168.1.1:649	192.168.1.2:9001
TCP	XMAS SCAN	192.168.1.1:2264	192.168.1.2:6455
TCP	XMAS SCAN	192.168.1.1:3464	192.168.1.2:8744

Given the above logs, which of the following is the cause of the attack?

- A. The TCP ports on destination are all open
- B. FIN, URG, and PSH flags are set in the packet header
- C. TCP MSS is configured improperly
- D. There is improper Layer 2 segmentation

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 154

A security analyst reviews the following output:

```
File name: somefile.pdf
File MD5: E289F21CD33E4F57890DDEA5CF267ED2
File size: 1.9 Mb
Created by: Jan Smith
Deleted by: Jan Smith
Date deleted: October 01, 2015 8:43:21 EST
```

The analyst loads the hash into the SIEM to discover if this hash is seen in other parts of the network. After inspecting a large number of files, the security analyst reports the following:

```
File hash: E289F21CD33E4F57890DDEA5CF267ED2
Files found: somestuff.xls, somefile.pdf, nofile.doc
```

Which of the following is the MOST likely cause of the hash being found in other areas?

- A. Jan Smith is an insider threat
- B. There are MD5 hash collisions
- C. The file is encrypted
- D. Shadow copies are present

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 155

A company's AUP requires:

- Passwords must meet complexity requirements.
- Passwords are changed at least once every six months.
- Passwords must be at least eight characters long.

An auditor is reviewing the following report:

Username	Last login	Last changed
Carol	2 hours	90 days
David	2 hours	30 days
Ann	1 hour	247 days
Joe	0.5 hours	7 days

Which of the following controls should the auditor recommend to enforce the AUP?

- A. Account lockout thresholds
- B. Account recovery
- C. Password expiration
- D. Prohibit password reuse

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 156

An organization's primary datacenter is experiencing a two-day outage due to an HVAC malfunction. The node located in the datacenter has lost power and is no longer operational, impacting the ability of all users to connect to the alternate datacenter. Which of the following BIA concepts BEST represents the risk described in this scenario?

- A. SPoF
- B. RTO
- C. MTBF
- D. MTTR

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 157

A security analyst notices anomalous activity coming from several workstations in the organizations. Upon identifying and containing the issue, which of the following should the security analyst do NEXT?

- A. Document and lock the workstations in a secure area to establish chain of custody
- B. Notify the IT department that the workstations are to be reimaged and the data restored for reuse
- C. Notify the IT department that the workstations may be reconnected to the network for the users to continue working

D. Document findings and processes in the after-action and lessons learned report

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 158

An employee receives an email, which appears to be from the Chief Executive Officer (CEO), asking for a report of security credentials for all users.

Which of the following types of attack is MOST likely occurring?

- A. Policy violation
- B. Social engineering
- C. Whaling
- D. Spear phishing

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 159

An information security analyst needs to work with an employee who can answer questions about how data for a specific system is used in the business. The analyst should seek out an employee who has the role of:

- A. steward
- B. owner
- C. privacy officer
- D. systems administrator

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 160

A group of non-profit agencies wants to implement a cloud service to share resources with each other and minimize costs. Which of the following cloud deployment models BEST describes this type of effort?

- A. Public
- B. Hybrid
- C. Community
- D. Private

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 161

An administrator is configuring access to information located on a network file server named "Bowman". The files are located in a folder named "BalkFiles". The files are only for use by the "Matthews" division and should be read-only. The security policy requires permissions for shares to be managed at the file system layer and also requires those permissions to be set according to a least privilege model. Security policy for this data type also dictates that administrator-level accounts on the system have full access to the files.

The administrator configures the file share according to the following table:

Share permissions

1	Everyone	Full control
---	----------	--------------

File system permissions

2	Bowman\Users	Modify	Inherited
3	Domain\Matthews	Read	Not inherited
4	Bowman\System	Full control	Inherited
5	Bowman\Administrators	Full control	Not inherited

Which of the following rows has been misconfigured?

- A. Row 1
- B. Row 2
- C. Row 3
- D. Row 4
- E. Row 5

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 162

A copy of a highly confidential salary report was recently found on a printer in the IT department. The human resources department does not have this specific printer mapped to its devices, and it is suspected that an employee in the IT department browsed to the share where the report was located and printed it without authorization. Which of the following technical controls would be the BEST choice to immediately prevent this from happening again?

- A. Implement a DLP solution and classify the report as confidential, restricting access only to human resources staff
- B. Restrict access to the share where the report resides to only human resources employees and enable auditing
- C. Have all members of the IT department review and sign the AUP and disciplinary policies
- D. Place the human resources computers on a restricted VLAN and configure the ACL to prevent access from the IT department

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 163

A company is developing a new system that will unlock a computer automatically when an authorized user sits in front of it, and then lock the computer when the user leaves. The user does not have to perform any action for this process to occur. Which of the following technologies provides this capability?

- A. Facial recognition
- B. Fingerprint scanner
- C. Motion detector
- D. Smart cards

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 164

A security analyst accesses corporate web pages and inputs random data in the forms. The response received includes the type of database used and SQL commands that the database accepts. Which of the following should the security analyst use to prevent this vulnerability?

- A. Application fuzzing
- B. Error handling
- C. Input validation
- D. Pointer dereference

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 165

Which of the following differentiates a collision attack from a rainbow table attack?

- A. A rainbow table attack performs a hash lookup
- B. A rainbow table attack uses the hash as a password
- C. In a collision attack, the hash and the input data are equivalent
- D. In a collision attack, the same input results in different hashes

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 166

A help desk is troubleshooting user reports that the corporate website is presenting untrusted certificate errors to employees and customers when they visit the website. Which of the following is the MOST likely cause of this error, provided the certificate has not expired?

- A. The certificate was self signed, and the CA was not imported by employees or customers
- B. The root CA has revoked the certificate of the intermediate CA
- C. The valid period for the certificate has passed, and a new certificate has not been issued
- D. The key escrow server has blocked the certificate from being validated

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 167

A security analyst is investigating a suspected security breach and discovers the following in the logs of the potentially compromised server:

Time	Source	Destination	Account Name	Action
11:01:31	18.12.98.145	10.15.21.100	Joe	Logon Failed
11:01:32	18.12.98.145	10.15.21.100	Joe	Logon Failed
11:01:33	18.12.98.145	10.15.21.100	Joe	Logon Failed
11:01:34	18.12.98.145	10.15.21.100	Joe	Logon Failed
11:01:35	18.12.98.145	10.15.21.100	Joe	Logon Failed
11:01:36	18.12.98.145	10.15.21.100	Joe	Logon Failed
11:01:37	18.12.98.145	10.15.21.100	Joe	Logon Failed
11:01:38	18.12.98.145	10.15.21.100	Joe	Logon Successful

Which of the following would be the BEST method for preventing this type of suspected attack in the future?

- A. Implement password expirations
- B. Implement restrictions on shared credentials
- C. Implement account lockout settings
- D. Implement time-of-day restrictions on this server

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 168

DRAG DROP

A security administrator is given the security and availability profiles for servers that are being deployed.

1. Match each RAID type with the correct configuration and MINIMUM number of drives.
2. Review the server profiles and match them with the appropriate RAID type based on integrity, availability, I/O, storage requirements. Instructions:
 - All drive definitions can be dragged as many times as necessary
 - Not all placeholders may be filled in the RAID configuration boxes
 - If parity is required, please select the appropriate number of parity checkboxes
 - Server profiles may be dragged only once

If at any time you would like to bring back the initial state of the simulation, please select the Reset button. When you have completed the simulation, please select the Done button to submit. Once the simulation is submitted, please select the Next button to continue.

Select and Place:

Instructions: If at any time you would like to bring back the initial state of the simulation, please select the Reset button. When you have completed the simulation, please select the Done button to submit. Once the simulation is submitted, please select the Next button to continue.

The screenshot displays a server configuration interface. At the top, there are four server icons: Authentication Server, Email Archive, Identity Management Server, and Media Streaming Server. Below these are four RAID configuration panels: RAID-0, RAID-1, RAID-5, and RAID-6. Each RAID panel shows a grid of disks and parity data blocks. The RAID-5 panel has a blue selection box next to its first parity data block. A 'Server Profile:' section is visible between the RAID panels, containing a dashed rectangular box. At the bottom right, there is a 'Reset All' button.

Correct Answer:

Instructions: If at any time you would like to bring back the initial state of the simulation, please click the **Reset** button. When you have completed the simulation, please click the **Save** button.



RAID-0	Server Profile:	RAID-1																								
<table border="1"><thead><tr><th>Disk 1</th><th>Disk 2</th><th>Disk 3</th><th>Disk 4</th></tr></thead><tbody><tr><td>Stripe Data</td><td>Stripe Data</td><td></td><td></td></tr><tr><td><input type="checkbox"/></td><td colspan="3">Parity Data</td></tr><tr><td><input type="checkbox"/></td><td colspan="3">Parity Data</td></tr></tbody></table>	Disk 1	Disk 2	Disk 3	Disk 4	Stripe Data	Stripe Data			<input type="checkbox"/>	Parity Data			<input type="checkbox"/>	Parity Data				<table border="1"><thead><tr><th>Disk 1</th><th>Disk 2</th></tr></thead><tbody><tr><td>Mirror Data</td><td>Mirror Data</td></tr><tr><td><input type="checkbox"/></td><td>Parity Data</td></tr><tr><td><input type="checkbox"/></td><td>Parity Data</td></tr></tbody></table>	Disk 1	Disk 2	Mirror Data	Mirror Data	<input type="checkbox"/>	Parity Data	<input type="checkbox"/>	Parity Data
Disk 1	Disk 2	Disk 3	Disk 4																							
Stripe Data	Stripe Data																									
<input type="checkbox"/>	Parity Data																									
<input type="checkbox"/>	Parity Data																									
Disk 1	Disk 2																									
Mirror Data	Mirror Data																									
<input type="checkbox"/>	Parity Data																									
<input type="checkbox"/>	Parity Data																									
RAID-5	Server Profile:	RAID-6																								
<table border="1"><thead><tr><th>Disk 1</th><th>Disk 2</th><th>Disk 3</th><th>Disk 4</th></tr></thead><tbody><tr><td>Stripe Data</td><td>Stripe Data</td><td>Stripe Data</td><td></td></tr><tr><td><input checked="" type="checkbox"/></td><td colspan="3">Parity Data</td></tr><tr><td><input type="checkbox"/></td><td colspan="3">Parity Data</td></tr></tbody></table>	Disk 1	Disk 2	Disk 3	Disk 4	Stripe Data	Stripe Data	Stripe Data		<input checked="" type="checkbox"/>	Parity Data			<input type="checkbox"/>	Parity Data				<table border="1"><thead><tr><th>Disk 1</th><th>Disk 2</th></tr></thead><tbody><tr><td>Stripe Data</td><td>Stripe Data</td></tr><tr><td><input checked="" type="checkbox"/></td><td>Parity Data</td></tr><tr><td><input checked="" type="checkbox"/></td><td>Parity Data</td></tr></tbody></table>	Disk 1	Disk 2	Stripe Data	Stripe Data	<input checked="" type="checkbox"/>	Parity Data	<input checked="" type="checkbox"/>	Parity Data
Disk 1	Disk 2	Disk 3	Disk 4																							
Stripe Data	Stripe Data	Stripe Data																								
<input checked="" type="checkbox"/>	Parity Data																									
<input type="checkbox"/>	Parity Data																									
Disk 1	Disk 2																									
Stripe Data	Stripe Data																									
<input checked="" type="checkbox"/>	Parity Data																									
<input checked="" type="checkbox"/>	Parity Data																									

Reset All

Section: (none)
Explanation

Explanation/Reference:

Explanation:

RAID-0 is known as striping. It is not a fault tolerant solution but does improve disk performance for read/write operations. Striping requires a minimum of two disks and does not use parity.

RAID-0 can be used where performance is required over fault tolerance, such as a media streaming server.

RAID-1 is known as mirroring because the same data is written to two disks so that the two disks have identical data. This is a fault tolerant solution that halves the storage space. A minimum of two disks are used in mirroring and does not use parity. RAID-1 can be used where fault tolerance is required over performance, such as on an authentication server. RAID-5 is a fault tolerant solution that uses parity and striping. A minimum

of three disks are required for RAID-5 with one disk's worth of space being used for parity information. However, the parity information is distributed across all the disks. RAID-5 can recover from a single disk failure. RAID-6 is a fault tolerant solution that uses dual parity and striping. A minimum of four disks are required for RAID-6. Dual parity allows RAID-6 to recover from the simultaneous failure of up to two disks. Critical data should be stored on a RAID-6 system.

http://www.adaptec.com/en-us/solutions/raid_levels.html

QUESTION 169

A security administrator is trying to encrypt communication. For which of the following reasons should administrator take advantage of the Subject Alternative Name (SAM) attribute of a certificate?

- A. It can protect multiple domains
- B. It provides extended site validation
- C. It does not require a trusted certificate authority
- D. It protects unlimited subdomains

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 170

After a merger between two companies a security analyst has been asked to ensure that the organization's systems are secured against infiltration by any former employees that were terminated during the transition.

Which of the following actions are MOST appropriate to harden applications against infiltration by former employees? (Select TWO)

- A. Monitor VPN client access
- B. Reduce failed login out settings
- C. Develop and implement updated access control policies
- D. Review and address invalid login attempts
- E. Increase password complexity requirements
- F. Assess and eliminate inactive accounts

Correct Answer: CF

Section: (none)

Explanation

Explanation/Reference:

QUESTION 171

A new mobile application is being developed in-house. Security reviews did not pick up any major flaws, however vulnerability scanning results show fundamental issues at the very end of the project cycle.

Which of the following security activities should also have been performed to discover vulnerabilities earlier in the lifecycle?

- A. Architecture review
- B. Risk assessment
- C. Protocol analysis
- D. Code review

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 172

A security administrator is creating a subnet on one of the corporate firewall interfaces to use as a DMZ which is expected to accommodate at most 14 physical hosts.

Which of the following subnets would BEST meet the requirements?

- A. 192.168.0.16 255.25.255.248
- B. 192.168.0.16/28
- C. 192.168.1.50 255.255.25.240
- D. 192.168.2.32/27

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 173

A company has a security policy that specifies all endpoint computing devices should be assigned a unique identifier that can be tracked via an inventory management system. Recent changes to airline security regulations have cause many executives in the company to travel with mini tablet devices instead of laptops. These tablet devices are difficult to tag and track. An RDP application is used from the tablet to connect into the company network.

Which of the following should be implemented in order to meet the security policy requirements?

- A. Virtual desktop infrastructure (VDI)
- B. WS-security and geo-fencing
- C. A hardware security module (HSM)
- D. RFID tagging system
- E. MDM software
- F. Security Requirements Traceability Matrix (SRTM)

Correct Answer: E

Section: (none)

Explanation

Explanation/Reference:

QUESTION 174

The security administrator receives an email on a non-company account from a coworker stating that some reports are not exporting correctly. Attached to the email was an example report file with several customers' names and credit card numbers with the PIN.

Which of the following is the BEST technical controls that will help mitigate this risk of disclosing sensitive data?

- A. Configure the mail server to require TLS connections for every email to ensure all transport data is encrypted
- B. Create a user training program to identify the correct use of email and perform regular audits to ensure compliance
- C. Implement a DLP solution on the email gateway to scan email and remove sensitive data or files
- D. Classify all data according to its sensitivity and inform the users of data that is prohibited to share

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 175

A technician is configuring a wireless guest network. After applying the most recent changes the technician finds the new devices can no longer find the wireless network by name but existing devices are still able to use the wireless network.

Which of the following security measures did the technician MOST likely implement to cause this Scenario?

- A. Deactivation of SSID broadcast
- B. Reduction of WAP signal output power
- C. Activation of 802.1X with RADIUS
- D. Implementation of MAC filtering
- E. Beacon interval was decreased

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 176

A security administrator has been assigned to review the security posture of the standard corporate system image for virtual machines. The security administrator conducts a thorough review of the system logs, installation procedures, and network configuration of the VM image. Upon reviewing the access logs and user accounts, the security administrator determines that several accounts will not be used in production.

Which of the following would correct the deficiencies?

- A. Mandatory access controls
- B. Disable remote login
- C. Host hardening
- D. Disabling services

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 177

Although a web enabled application appears to only allow letters in the comment field of a web form, malicious

user was able to carry a SQL injection attack by sending special characters through the web comment field.

Which of the following has the application programmer failed to implement?

- A. Revision control system
- B. Client side exception handling
- C. Server side validation
- D. Server hardening

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 178

An attacker discovers a new vulnerability in an enterprise application. The attacker takes advantage of the vulnerability by developing new malware. After installing the malware, the attacker is provided with access to the infected machine.

Which of the following is being described?

- A. Zero-day exploit
- B. Remote code execution
- C. Session hijacking
- D. Command injection

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 179

A security administrator returning from a short vacation receives an account lock-out message when attempting to log into the computer. After getting the account unlocked the security administrator immediately notices a large amount of emails alerts pertaining to several different user accounts being locked out during the past three days. The security administrator uses system logs to determine that the lock-outs were due to a brute force attack on all accounts that has been previously logged into that machine.

Which of the following can be implemented to reduce the likelihood of this attack going undetected?

- A. Password complexity rules
- B. Continuous monitoring
- C. User access reviews
- D. Account lockout policies

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 180

A bank requires tellers to get manager approval when a customer wants to open a new account. A recent audit shows that there have been four cases in the previous year where tellers opened accounts without management approval. The bank president thought separation of duties would prevent this from happening.

In order to implement a true separation of duties approach the bank could:

- A. Require the use of two different passwords held by two different individuals to open an account
- B. Administer account creation on a role based access control approach
- C. Require all new accounts to be handled by someone else other than a teller since they have different duties
- D. Administer account creation on a rule based access control approach

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 181

A security administrator has been tasked with improving the overall security posture related to desktop machines on the network. An auditor has recently that several machines with confidential customer information displayed in the screens are left unattended during the course of the day.

Which of the following could the security administrator implement to reduce the risk associated with the finding?

- A. Implement a clean desk policy
- B. Security training to prevent shoulder surfing
- C. Enable group policy based screensaver timeouts
- D. Install privacy screens on monitors

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 182

Company policy requires the use of passphrases instead of passwords.

Which of the following technical controls **MUST** be in place in order to promote the use of passphrases?

- A. Reuse
- B. Length
- C. History
- D. Complexity

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 183

During a routine audit, it is discovered that someone has been using a stale administrator account to log into a seldom used server. The person has been using the server to view inappropriate websites that are prohibited to end users.

Which of the following could best prevent this from occurring again?

- A. Credential management
- B. Group policy management
- C. Acceptable use policy
- D. Account expiration policy

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 184

Which of the following should identify critical systems and components?

- A. MOU
- B. BPA
- C. ITCP
- D. BCP

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 185

Which of the following works by implanting software on systems but delays execution until a specific set of conditions is met?

- A. Logic bomb
- B. Trojan
- C. Scareware
- D. Ransomware

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 186

A web application is configured to target browsers and allow access to bank accounts to siphon money to a foreign account.

This is an example of which of the following attacks?

- A. SQL injection

- B. Header manipulation
- C. Cross-site scripting
- D. Flash cookie exploitation

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 187

Technicians working with servers hosted at the company's datacenter are increasingly complaining of electric shocks when touching metal items which have been linked to hard drive failures.

Which of the following should be implemented to correct this issue?

- A. Decrease the room temperature
- B. Increase humidity in the room
- C. Utilize better hot/cold aisle configurations
- D. Implement EMI shielding

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 188

A portable data storage device has been determined to have malicious firmware.

Which of the following is the BEST course of action to ensure data confidentiality?

- A. Format the device
- B. Re-image the device
- C. Perform virus scan in the device
- D. Physically destroy the device

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 189

A security administrator must implement a system to ensure that invalid certificates are not used by a custom developed application. The system must be able to check the validity of certificates even when internet access is unavailable.

Which of the following MUST be implemented to support this requirement?

- A. CSR
- B. OCSP
- C. CRL

D. SSH

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 190

A technician has installed new vulnerability scanner software on a server that is joined to the company domain. The vulnerability scanner is able to provide visibility over the patch posture of all company's clients.

Which of the following is being used?

- A. Gray box vulnerability testing
- B. Passive scan
- C. Credentialed scan
- D. Bypassing security controls

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 191

The Chief Security Officer (CISO) at a multinational banking corporation is reviewing a plan to upgrade the entire corporate IT infrastructure. The architecture consists of a centralized cloud environment hosting the majority of data, small server clusters at each corporate location to handle the majority of customer transaction processing, ATMs, and a new mobile banking application accessible from smartphones, tablets, and the Internet via HTTP. The corporation does business having varying data retention and privacy laws.

Which of the following technical modifications to the architecture and corresponding security controls should be implemented to provide the MOST complete protection of data?

- A. Revoke existing root certificates, re-issue new customer certificates, and ensure all transactions are digitally signed to minimize fraud, implement encryption for data in-transit between data centers
- B. Ensure all data is encryption according to the most stringent regulatory guidance applicable, implement encryption for data in-transit between data centers, increase data availability by replicating all data, transaction data, logs between each corporate location
- C. Store customer data based on national borders, ensure end-to-end encryption between ATMs, end users, and servers, test redundancy and COOP plans to ensure data is not inadvertently shifted from one legal jurisdiction to another with more stringent regulations
- D. Install redundant servers to handle corporate customer processing, encrypt all customer data to ease the transfer from one country to another, implement end-to-end encryption between mobile applications and the cloud.

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 192

While reviewing the monthly internet usage it is noted that there is a large spike in traffic classified as "unknown" and does not appear to be within the bounds of the organizations Acceptable Use Policy.

Which of the following tool or technology would work BEST for obtaining more information on this traffic?

- A. Firewall logs
- B. IDS logs
- C. Increased spam filtering
- D. Protocol analyzer

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 193

A network administrator wants to ensure that users do not connect any unauthorized devices to the company network. Each desk needs to connect a VoIP phone and computer.

Which of the following is the BEST way to accomplish this?

- A. Enforce authentication for network devices
- B. Configure the phones on one VLAN, and computers on another
- C. Enable and configure port channels
- D. Make users sign an Acceptable use Agreement

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 194

An administrator has concerns regarding the traveling sales team who works primarily from smart phones.

Given the sensitive nature of their work, which of the following would BEST prevent access to the data in case of loss or theft?

- A. Enable screensaver locks when the phones are not in use to prevent unauthorized access
- B. Configure the smart phones so that the stored data can be destroyed from a centralized location
- C. Configure the smart phones so that all data is saved to removable media and kept separate from the device
- D. Enable GPS tracking on all smart phones so that they can be quickly located and recovered

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 195

A user of the wireless network is unable to gain access to the network. The symptoms are:

- 1.) Unable to connect to both internal and Internet resources
- 2.) The wireless icon shows connectivity but has no network access

The wireless network is WPA2 Enterprise and users must be a member of the wireless security group to authenticate.

Which of the following is the MOST likely cause of the connectivity issues?

- A. The wireless signal is not strong enough
- B. A remote DDoS attack against the RADIUS server is taking place
- C. The user's laptop only supports WPA and WEP
- D. The DHCP scope is full
- E. The dynamic encryption key did not update while the user was offline

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 196

A chief Financial Officer (CFO) has asked the Chief Information Officer (CISO) to provide responses to a recent audit report detailing deficiencies in the organization security controls. The CFO would like to know ways in which the organization can improve its authorization controls.

Given the request by the CFO, which of the following controls should the CISO focus on in the report? (Select Three)

- A. Password complexity policies
- B. Hardware tokens
- C. Biometric systems
- D. Role-based permissions
- E. One time passwords
- F. Separation of duties
- G. Multifactor authentication
- H. Single sign-on
- I. Least privilege

Correct Answer: DFI

Section: (none)

Explanation

Explanation/Reference:

QUESTION 197

A mobile device user is concerned about geographic positioning information being included in messages sent between users on a popular social network platform. The user turns off the functionality in the application, but wants to ensure the application cannot re-enable the setting without the knowledge of the user.

Which of the following mobile device capabilities should the user disable to achieve the stated goal?

- A. Device access control
- B. Location based services

- C. Application control
- D. GEO-Tagging

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 198

A member of a digital forensics team, Joe arrives at a crime scene and is preparing to collect system data. Before powering the system off, Joe knows that he must collect the most volatile data first.

Which of the following is the correct order in which Joe should collect the data?

- A. CPU cache, paging/swap files, RAM, remote logging data
- B. RAM, CPU cache, Remote logging data, paging/swap files
- C. Paging/swap files, CPU cache, RAM, remote logging data
- D. CPU cache, RAM, paging/swap files, remote logging data

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 199

An organization has hired a penetration tester to test the security of its ten web servers. The penetration tester is able to gain root/administrative access in several servers by exploiting vulnerabilities associated with the implementation of SMTP, POP, DNS, FTP, Telnet, and IMAP.

Which of the following recommendations should the penetration tester provide to the organization to better protect their web servers in the future?

- A. Use a honeypot
- B. Disable unnecessary services
- C. Implement transport layer security
- D. Increase application event logging

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 200

A security engineer is faced with competing requirements from the networking group and database administrators. The database administrators would like ten application servers on the same subnet for ease of administration, whereas the networking group would like to segment all applications from one another.

Which of the following should the security administrator do to rectify this issue?

- A. Recommend performing a security assessment on each application, and only segment the applications with

- the most vulnerability
- B. Recommend classifying each application into like security groups and segmenting the groups from one another
 - C. Recommend segmenting each application, as it is the most secure approach
 - D. Recommend that only applications with minimal security features should be segmented to protect them

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 201

A security analyst has been asked to perform a review of an organization's software development lifecycle. The analyst reports that the lifecycle does not contain a phase in which team members evaluate and provide critical feedback of another developer's code.

Which of the following assessment techniques is BEST described in the analyst's report?

- A. Architecture evaluation
- B. Baseline reporting
- C. Whitebox testing
- D. Peer review

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 202

An attacker wearing a building maintenance uniform approached a company's receptionist asking for access to a secure area. The receptionist asks for identification, a building access badge and checks the company's list approved maintenance personnel prior to granting physical access to the secure area.

The controls used by the receptionist are in place to prevent which of the following types of attacks?

- A. Tailgating
- B. Shoulder surfing
- C. Impersonation
- D. Hoax

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 203

A security administrator is tasked with conducting an assessment made to establish the baseline security posture of the corporate IT infrastructure. The assessment must report actual flaws and weaknesses in the infrastructure. Due to the expense of hiring outside consultants, the testing must be performed using in-house or cheaply available resource. There cannot be a possibility of any requirement being damaged in the test.

Which of the following has the administrator been tasked to perform?

- A. Risk transference
- B. Penetration test
- C. Threat assessment
- D. Vulnerability assessment

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 204

A network administrator is attempting to troubleshoot an issue regarding certificates on a secure website. During the troubleshooting process, the network administrator notices that the web gateway proxy on the local network has signed all of the certificates on the local machine.

Which of the following describes the type of attack the proxy has been legitimately programmed to perform?

- A. Transitive access
- B. Spoofing
- C. Man-in-the-middle
- D. Replay

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 205

Which of the following use the SSH protocol?

- A. Stelnet
- B. SCP
- C. SNMP
- D. FTPS
- E. SSL
- F. SFTP

Correct Answer: BF

Section: (none)

Explanation

Explanation/Reference:

QUESTION 206

Which of the following is the GREATEST risk to a company by allowing employees to physically bring their personal smartphones to work?

- A. Taking pictures of proprietary information and equipment in restricted areas.
- B. Installing soft token software to connect to the company's wireless network.
- C. Company cannot automate patch management on personally-owned devices.
- D. Increases the attack surface by having more target devices on the company's campus

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 207

Which of the following is the summary of loss for a given year?

- A. MTBF
- B. ALE
- C. SLA
- D. ARO

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 208

A Security Officer on a military base needs to encrypt several smart phones that will be going into the field.

Which of the following encryption solutions should be deployed in this situation?

- A. Elliptic curve
- B. One-time pad
- C. 3DES
- D. AES-256

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 209

An organization relies heavily on an application that has a high frequency of security updates. At present, the security team only updates the application on the first Monday of each month, even though the security updates are released as often as twice a week.

Which of the following would be the BEST method of updating this application?

- A. Configure testing and automate patch management for the application.
- B. Configure security control testing for the application.
- C. Manually apply updates for the application when they are released.
- D. Configure a sandbox for testing patches before the scheduled monthly update.

Correct Answer: A
Section: (none)
Explanation

Explanation/Reference:

QUESTION 210

A technician must configure a firewall to block external DNS traffic from entering a network.

Which of the following ports should they block on the firewall?

- A. 53
- B. 110
- C. 143
- D. 443

Correct Answer: A
Section: (none)
Explanation

Explanation/Reference:

QUESTION 211

A software development company needs to share information between two remote servers, using encryption to protect it. A programmer suggests developing a new encryption protocol, arguing that using an unknown protocol with secure, existing cryptographic algorithm libraries will provide strong encryption without being susceptible to attacks on other known protocols.

Which of the following summarizes the BEST response to the programmer's proposal?

- A. The newly developed protocol will only be as secure as the underlying cryptographic algorithms used.
- B. New protocols often introduce unexpected vulnerabilities, even when developed with otherwise secure and tested algorithm libraries.
- C. A programmer should have specialized training in protocol development before attempting to design a new encryption protocol.
- D. The obscurity value of unproven protocols against attacks often outweighs the potential for introducing new vulnerabilities.

Correct Answer: B
Section: (none)
Explanation

Explanation/Reference:

QUESTION 212

A security technician would like to obscure sensitive data within a file so that it can be transferred without causing suspicion.

Which of the following technologies would BEST be suited to accomplish this?

- A. Transport Encryption
- B. Stream Encryption

- C. Digital Signature
- D. Steganography

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Steganography is the process of hiding a message in another message so as to obfuscate its importance. It is also the process of hiding a message in a medium such as a digital image, audio file, or other file. In theory, doing this prevents analysts from detecting the real message. You could encode your message in another file or message and use that file to hide your message.

QUESTION 213

A supervisor in your organization was demoted on Friday afternoon. The supervisor had the ability to modify the contents of a confidential database, as well as other managerial permissions. On Monday morning, the database administrator reported that log files indicated that several records were missing from the database.

Which of the following risk mitigation strategies should have been implemented when the supervisor was demoted?

- A. Incident management
- B. Routine auditing
- C. IT governance
- D. Monthly user rights reviews

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 214

Which of the following attack types is being carried out where a target is being sent unsolicited messages via Bluetooth?

- A. War chalking
- B. Bluejacking
- C. Bluesnarfing
- D. Rogue tethering

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Bluejacking is the sending of unsolicited messages over Bluetooth to Bluetooth-enabled devices such as mobile phones, PDAs or laptop computers, sending a vCard which typically contains a message in the name field (i.e., for bluedating or bluechat) to another Bluetooth-enabled device via the OBEX protocol.

QUESTION 215

Joe is exchanging encrypted email with another party. Joe encrypts the initial email with a key. When Joe receives a response, he is unable to decrypt the response with the same key he used initially.

Which of the following would explain the situation?

- A. An ephemeral key was used for one of the messages
- B. A stream cipher was used for the initial email; a block cipher was used for the reply
- C. Out-of-band key exchange has taken place
- D. Asymmetric encryption is being used

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Asymmetric algorithms use two keys to encrypt and decrypt data. These asymmetric keys are referred to as the public key and the private key. The sender uses the public key to encrypt a message, and the receiver uses the private key to decrypt the message; what one key does, the other one undoes.

QUESTION 216

Recently several employees were victims of a phishing email that appeared to originate from the company president. The email claimed the employees would be disciplined if they did not click on a malicious link in the message.

Which of the following principles of social engineering made this attack successful?

- A. Authority
- B. Spamming
- C. Social proof
- D. Scarcity

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 217

Which of the following is the LEAST secure hashing algorithm?

- A. SHA1
- B. RIPEMD
- C. MD5
- D. DES

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 218

An employee uses RDP to connect back to the office network.

If RDP is misconfigured, which of the following security exposures would this lead to?

- A. A virus on the administrator's desktop would be able to sniff the administrator's username and password.
- B. Result in an attacker being able to phish the employee's username and password.
- C. A social engineering attack could occur, resulting in the employee's password being extracted.
- D. A man in the middle attack could occur, resulting the employee's username and password being captured.

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 219

Joe, the security administrator, sees this in a vulnerability scan report:

```
"The server 10.1.2.232 is running Apache 2.2.20 which may be vulnerable to a mod_cgi exploit."
```

Joe verifies that the mod_cgi module is not enabled on 10.1.2.232. This message is an example of:

- A. a threat.
- B. a risk.
- C. a false negative.
- D. a false positive.

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 220

A security analyst wishes to increase the security of an FTP server. Currently, all trails to the FTP server is unencrypted. Users connecting to the FTP server use a variety of modern FTP client software. The security analyst wants to keep the same port and protocol, while also still allowing unencrypted connections.

Which of the following would BEST accomplish these goals?

- A. Require the SFTP protocol to connect to the file server.
- B. Use implicit TLS on the FTP server.
- C. Use explicit FTPS for the connections.
- D. Use SSH tunneling to encrypt the FTP traffic.

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 221


DRAG DROP

Drag and drop the correct protocol to its default port.

Select and Place:

FTP	<input type="text"/>	161
Telnet	<input type="text"/>	22
SMTP	<input type="text"/>	21
SNMP	<input type="text"/>	69
SCP	<input type="text"/>	25
TFTP	<input type="text"/>	23

Correct Answer:



Section: (none)

Explanation

Explanation/Reference:

Explanation:

FTP uses TCP port 21. Telnet uses port 23.

SSH uses TCP port 22.

All protocols encrypted by SSH, including SFTP, SHTTP, SCP, SExec, and slogin, also use TCP port 22.

Secure Copy Protocol (SCP) is a secure file-transfer facility based on SSH and Remote Copy Protocol (RCP).

Secure FTP (SFTP) is a secured alternative to standard File Transfer Protocol (FTP). SMTP uses TCP port 25.

Port 69 is used by TFTP.

SNMP makes use of UDP ports 161 and 162.

http://en.wikipedia.org/wiki/List_of_TCP_and_UDP_port_numbers

QUESTION 222

The Chief Technology Officer (CTO) of a company, Ann, is putting together a hardware budget for the next 10 years. She is asking for the average lifespan of each hardware device so that she is able to calculate when she will have to replace each device.

Which of the following categories BEST describes what she is looking for?

- A. ALE
- B. MTTR
- C. MTBF
- D. MTTF

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 223

A software developer wants to ensure that the application is verifying that a key is valid before establishing SSL connections with random remote hosts on the Internet.

Which of the following should be used in the code? (Select TWO.)

- A. Escrowed keys
- B. SSL symmetric encryption key
- C. Software code private key
- D. Remote server public key
- E. OCSP

Correct Answer: CE

Section: (none)

Explanation

Explanation/Reference:

QUESTION 224

A security guard has informed the Chief Information Security Officer that a person with a tablet has been walking around the building. The guard also noticed strange white markings in different areas of the parking lot.

The person is attempting which of the following types of attacks?

- A. Jamming
- B. War chalking
- C. Packet sniffing
- D. Near field communication

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 225

A system administrator is configuring a site-to-site VPN tunnel.

Which of the following should be configured on the VPN concentrator during the IKE phase?

- A. RIPEMD
- B. ECDHE
- C. Diffie-Hellman
- D. HTTPS

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 226

A network operations manager has added a second row of server racks in the datacenter. These racks face the opposite direction of the first row of racks.

Which of the following is the reason the manager installed the racks this way?

- A. To lower energy consumption by sharing power outlets
- B. To create environmental hot and cold isles
- C. To eliminate the potential for electromagnetic interference
- D. To maximize fire suppression capabilities

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 227

Phishing emails frequently take advantage of high-profile catastrophes reported in the news.

Which of the following principles BEST describes the weakness being exploited?

- A. Intimidation
- B. Scarcity
- C. Authority
- D. Social proof

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 228

New magnetic locks were ordered for an entire building. In accordance with company policy, employee safety is the top priority.

In case of a fire where electricity is cut, which of the following should be taken into consideration when installing the new locks?

- A. Fail safe

- B. Fault tolerance
- C. Fail secure
- D. Redundancy

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 229

Anne, the Chief Executive Officer (CEO), has reported that she is getting multiple telephone calls from someone claiming to be from the helpdesk. The caller is asking to verify her network authentication credentials because her computer is broadcasting across the network.

This is MOST likely which of the following types of attacks?

- A. Vishing
- B. Impersonation
- C. Spim
- D. Scareware

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 230

An administrator discovers the following log entry on a server:

```
Nov 12 2013 00:23:45 httpd[2342]: GET  
/app2/prod/proc/process.php?input=change;cd%20../../../../etc;cat%20shadow
```

Which of the following attacks is being attempted?

- A. Command injection
- B. Password attack
- C. Buffer overflow
- D. Cross-site scripting

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 231

A security team wants to establish an Incident Response plan. The team has never experienced an incident.

Which of the following would BEST help them establish plans and procedures?

- A. Table top exercises

- B. Lessons learned
- C. Escalation procedures
- D. Recovery procedures

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 232

Which of the following would verify that a threat does exist and security controls can easily be bypassed without actively testing an application?

- A. Protocol analyzer
- B. Vulnerability scan
- C. Penetration test
- D. Port scanner

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Explanation:

A vulnerability scan is the automated process of proactively identifying security vulnerabilities of computing systems in a network in order to determine if and where a system can be exploited and/or threatened. While public servers are important for communication and data transfer over the Internet, they open the door to potential security breaches by threat agents, such as malicious hackers.

Vulnerability scanning employs software that seeks out security flaws based on a database of known flaws, testing systems for the occurrence of these flaws and generating a report of the findings that an individual or an enterprise can use to tighten the network's security.

Vulnerability scanning typically refers to the scanning of systems that are connected to the Internet but can also refer to system audits on internal networks that are not connected to the Internet in order to assess the threat of rogue software or malicious employees in an enterprise.

QUESTION 233

Which of the following technologies would be MOST appropriate to utilize when testing a new software patch before a company-wide deployment?

- A. Cloud computing
- B. Virtualization
- C. Redundancy
- D. Application control

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Virtualization is used to host one or more operating systems in the memory of a single host computer and allows multiple operating systems to run simultaneously on the same hardware, reducing costs. Virtualization offers the flexibility of quickly and easily making backups of entire virtual systems, and quickly recovering the virtual system when errors occur. Furthermore, malicious code compromises of virtual systems rarely affect the

host system, which allows for safer testing and experimentation.

QUESTION 234

A system administrator needs to implement 802.1x whereby when a user logs into the network, the authentication server communicates to the network switch and assigns the user to the proper VLAN.

Which of the following protocols should be used?

- A. RADIUS
- B. Kerberos
- C. LDAP
- D. MSCHAP

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 235

A security administrator receives notice that a third-party certificate authority has been compromised, and new certificates will need to be issued.

Which of the following should the administrator submit to receive a new certificate?

- A. CRL
- B. OSCP
- C. PFX
- D. CSR
- E. CA

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 236

DRAG DROP


A forensic analyst is asked to respond to an ongoing network attack on a server. Place the items in the list below in the correct order in which the forensic analyst should preserve them.

Select and Place:

1	<input type="text"/>
2	<input type="text"/>
3	<input type="text"/>
4	<input type="text"/>

- RAM
- CPU cache
- Swap
- Hard drive

Correct Answer:



Section: (none)

Explanation

Explanation/Reference:

Explanation:

When dealing with multiple issues, address them in order of volatility (OOV); always deal with the most volatile first. Volatility can be thought of as the amount of time that you have to collect certain data before a window of opportunity is gone. Naturally, in an investigation you want to collect everything, but some data will exist longer than others, and you cannot possibly collect all of it once. As an example, the OOV in an investigation may be RAM, hard drive data, CDs/DVDs, and printouts.

Order of volatility: Capture system images as a snapshot of what exists, look at network traffic and logs, capture any relevant video/screenshots/hashes, record time offset on the systems, talk to witnesses, and track total man-hours and expenses associated with the investigation.

QUESTION 237

A company wants to host a publicly available server that performs the following functions:

- Evaluates MX record lookup
- Can perform authenticated requests for A and AAA records Uses RRSIG
- Which of the following should the company use to fulfill the above requirements?

Which of the following should the company use to fulfill the above requirements?

- A. DNSSEC
- B. SFTP
- C. nslookup
- D. dig

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Explanation:

DNS Security Extensions (DNSSEC) provides, among other things, cryptographic authenticity of responses using Resource Record Signatures (RRSIG) and authenticated denial of existence using Next-Secure (NSEC) and Hashed-NSEC records (NSEC3).

QUESTION 238

A security administrator is developing training for corporate users on basic security principles for personal email accounts.

Which of the following should be mentioned as the MOST secure way for password recovery?

- A. Utilizing a single Qfor password recovery
- B. Sending a PIN to a smartphone through text message
- C. Utilizing CAPTCHA to avoid brute force attacks
- D. Use a different e-mail address to recover password

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 239

A company researched the root cause of a recent vulnerability in its software. It was determined that the vulnerability was the result of two updates made in the last release. Each update alone would not have resulted in the vulnerability.

In order to prevent similar situations in the future, the company should improve which of the following?

- A. Change management procedures
- B. Job rotation policies
- C. Incident response management
- D. Least privilege access controls

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 240

A computer on a company network was infected with a zero-day exploit after an employee accidentally opened an email that contained malicious content. The employee recognized the email as malicious and was attempting to delete it, but accidentally opened it.

Which of the following should be done to prevent this scenario from occurring again in the future?

- A. Install host-based firewalls on all computers that have an email client installed
- B. Set the email program default to open messages in plain text
- C. Install end-point protection on all computers that access web email
- D. Create new email spam filters to delete all messages from that sender

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 241

A company wants to ensure that the validity of publicly trusted certificates used by its web server can be determined even during an extended internet outage.

Which of the following should be implemented?

- A. Recovery agent
- B. Ocsp
- C. Crl
- D. Key escrow

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 242

An administrator intends to configure an IPSec solution that provides ESP with integrity protection, but not confidentiality protection.

Which of the following AES modes of operation would meet this integrity-only requirement?

- A. HMAC
- B. PCBC
- C. CBC
- D. GCM
- E. CFB

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 243

The chief security officer (CSO) has issued a new policy that requires that all internal websites be configured for HTTPS traffic only. The network administrator has been tasked to update all internal sites without incurring additional costs.

Which of the following is the best solution for the network administrator to secure each internal website?

- A. Use certificates signed by the company CA
- B. Use a signing certificate as a wild card certificate
- C. Use certificates signed by a public ca
- D. Use a self-signed certificate on each internal server

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Explanation:

This is a way to update all internal sites without incurring additional costs?

To be a CA (Certificate Authority), you need an infrastructure that consists of considerable operational elements, hardware, software, policy frameworks and practice statements, auditing, security infrastructure and personnel.

QUESTION 244

A security program manager wants to actively test the security posture of a system. The system is not yet in production and has no uptime requirement or active user base.

Which of the following methods will produce a report which shows vulnerabilities that were actually exploited?

- A. Peer review
- B. Component testing
- C. Penetration testing
- D. Vulnerability testing

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Explanation:

A penetration test, or pen test, is an attempt to evaluate the security of an IT infrastructure by safely trying to exploit vulnerabilities.

QUESTION 245

A new intern in the purchasing department requires read access to shared documents. Permissions are normally controlled through a group called "Purchasing", however, the purchasing group permissions allow write access.

Which of the following would be the BEST course of action?

- A. Modify all the shared files with read only permissions for the intern.
- B. Create a new group that has only read permissions for the files.
- C. Remove all permissions for the shared files.
- D. Add the intern to the "Purchasing" group.

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 246

A business has recently deployed laptops to all sales employees. The laptops will be used primarily from home offices and while traveling, and a high amount of wireless mobile use is expected.

To protect the laptops while connected to untrusted wireless networks, which of the following would be the BEST method for reducing the risk of having the laptops compromised?

- A. MAC filtering
- B. Virtualization
- C. OS hardening
- D. Application white-listing

Correct Answer: C

Section: (none)

Explanation


Explanation/Reference:

QUESTION 247

DRAG DROP

Task: Determine the types of attacks below by selecting an option from the dropdown list.

Select and Place:



Email sent to multiple users to a link to verify username/password on external site



Choose Attack Type



Phone calls made to CEO of organization asking for various financial data



Choose Attack Type



Phone call is made to individual stating there was an IT issue, and asked for the user's password over the phone



Choose Attack Type



You're on a social media site and an instant message pops up from a friend with a link to a new breakthrough diet



Choose Attack Type













A friend/colleague asks you questions of a personal nature, which could be considered typical password reset questions.



Choose Attack Type

Correct Answer:

	<p>Email sent to multiple users to a link to verify username/password on external site</p>		<input type="text" value="Phishing"/>
	<p>Phone calls made to CEO of organization asking for various financial data</p>		<input type="text" value="Whaling"/>
	<p>Phone call is made to individual stating there was an IT issue, and asked for the user's password over the phone</p>		<input type="text" value="Vishing"/>
	<p>You're on a social media site and an instant message pops up from a friend with a link to a new breakthrough diet</p>		<input type="text" value="Spim"/>
	<p>A friend/colleague asks you questions of a personal nature, which could be considered typical password reset questions.</p>		<input type="text" value="Social Engineering"/>

Section: (none)
Explanation

Explanation/Reference:
Explanation:

A: Phishing is the act of sending an email to a user falsely claiming to be an established legitimate enterprise in an attempt to scam the user into surrendering private information that will be used for identity theft. Phishing email will direct the user to visit a website where they are asked to update personal information, such as a password, credit card, social security, or bank account numbers, that the legitimate organization already has. The website, however, is bogus and set up only to steal the information the user enters on the page.

B: Whaling is a specific kind of malicious hacking within the more general category of phishing, which involves hunting for data that can be used by the hacker. In general, phishing efforts are focused on collecting personal

data about users. In whaling, the targets are high-ranking bankers, executives or others in powerful positions or job titles. Hackers who engage in whaling often describe these efforts as "reeling in a big fish," applying a familiar metaphor to the process of scouring technologies for loopholes and opportunities for data theft. Those who are engaged in whaling may, for example, hack into specific networks where these powerful individuals work or store sensitive data. They may also set up keylogging or other malware on a work station associated with one of these executives. There are many ways that hackers can pursue whaling, leading C-level or top-level executives in business and government to stay vigilant about the possibility of cyber threats.

C: Vishing is the act of using the telephone in an attempt to scam the user into surrendering private information that will be used for identity theft. The scammer usually pretends to be a legitimate business, and fools the victim into thinking he or she will profit.

D: SPIM is a term sometimes used to refer to spam over IM (Instant Messaging). It's also called just spam, instant spam, or IM marketing. No matter what the name, it consists of unwanted messages transmitted through some form of instant messaging service, which can include Short Message Service (SMS)

E: Social engineering is a non-technical method of intrusion hackers use that relies heavily on human interaction and often involves tricking people into breaking normal security procedures. It is one of the greatest threats that organizations today encounter. A social engineer runs what used to be called a "con game." For example, a person using social engineering to break into a computer network might try to gain the confidence of an authorized user and get them to reveal information that compromises the network's security. Social engineers often rely on the natural helpfulness of people as well as on their weaknesses. They might, for example, call the authorized employee with some kind of urgent problem that requires immediate network access. Appealing to vanity, appealing to authority, appealing to greed, and old-fashioned eavesdropping are other typical social engineering techniques.

<http://www.webopedia.com/TERM/P/phishing.html>

<http://www.techopedia.com/definition/28643/whaling>

<http://www.webopedia.com/TERM/V/vishing.html>

<http://searchsecurity.techtarget.com/definition/social-engineering>

QUESTION 248

SIMULATION

You have just received some room and WiFi access control recommendations from a security consulting company. Click on each building to bring up available security controls. Please implement the following requirements:

The Chief Executive Officer's (CEO) office had multiple redundant security measures installed on the door to the office. Remove unnecessary redundancies to deploy three-factor authentication, while retaining the expensive iris reader.

The Public Cafe has wireless available to customers. You need to secure the WAP with WPA and place a passphrase on the customer receipts.

In the Data Center you need to include authentication from the "something you know" category and take advantage of the existing smartcard reader on the door.

In the Help Desk Office, you need to require single factor authentication through the use of physical tokens given to guests by the receptionist.

The PII Office has redundant security measures in place. You need to eliminate the redundancy while maintaining three-factor authentication and retaining the more expensive controls.



Instructions: The original security controls for each office can be reset at any time by selecting the Reset button. Once you have met the above requirements for each office, select the Save button. When you have completed the entire simulation, please select the Done button to submit. Once the simulation is submitted, please select the Next button to continue.



Public Cafe
Available Security Controls

<input checked="" type="checkbox"/>	128-bit key
<input checked="" type="checkbox"/>	64-bit key
<input checked="" type="checkbox"/>	Pre-share Key
<input checked="" type="checkbox"/>	PKI certificate
<input checked="" type="checkbox"/>	SSH Key
<input checked="" type="checkbox"/>	Pin Pad

Reset All **Save** **Exit**

Help Desk
Available Security Controls

<input type="checkbox"/>	Iris Scanner
<input type="checkbox"/>	Thumbprint Scanner
<input type="checkbox"/>	Password
<input checked="" type="checkbox"/>	Proximity Badge
<input type="checkbox"/>	Voice Recognition
<input type="checkbox"/>	Pin Pad

Reset All **Save** **Exit**

Data Center
Available Security Controls

<input type="checkbox"/>	Iris Scanner
<input type="checkbox"/>	Thumbprint Scanner
<input type="checkbox"/>	Mantrap
<input checked="" type="checkbox"/>	Smart Card Reader
<input type="checkbox"/>	Voice Recognition
<input type="checkbox"/>	Pin Pad

CEO's Office
Available Security Controls

<input checked="" type="checkbox"/>	Iris Scanner
<input checked="" type="checkbox"/>	Thumbprint Scanner
<input type="checkbox"/>	Username/Password
<input type="checkbox"/>	Smart Card Reader
<input checked="" type="checkbox"/>	Voice Recognition
<input type="checkbox"/>	Pin Pad

Correct Answer: See the solution below.

Section: (none)

Explanation

Explanation/Reference:

Explanation:

PII Processing Office
Available Security Controls

- Iris Scanner
- Thumbprint Scanner
- Proximity Badge
- Smart Card Reader
- One Time Password Token
- Pin Pad

Reset All Save Exit

Public Cafe
Available Security Controls

- 128-bit key
- 64-bit key
- Pre-share Key
- PKI certificate
- SSH Key
- Pin Pad

Reset All Save Exit

Help Desk
Available Security Controls

<input type="checkbox"/>	Iris Scanner
<input type="checkbox"/>	Thumbprint Scanner
<input type="checkbox"/>	Password
<input checked="" type="checkbox"/>	Proximity Badge
<input type="checkbox"/>	Voice Recognition
<input type="checkbox"/>	Pin Pad

Data Center
Available Security Controls

<input type="checkbox"/>	Iris Scanner
<input type="checkbox"/>	Thumbprint Scanner
<input type="checkbox"/>	Mantrap
<input checked="" type="checkbox"/>	Smart Card Reader
<input type="checkbox"/>	Voice Recognition
<input type="checkbox"/>	Pin Pad

CEO's Office Available Security Controls

<input checked="" type="checkbox"/>	Iris Scanner
<input checked="" type="checkbox"/>	Thumbprint Scanner
<input type="checkbox"/>	Username/Password
<input type="checkbox"/>	Smart Card Reader
<input checked="" type="checkbox"/>	Voice Recognition
<input type="checkbox"/>	Pin Pad

Reset All


Save

Exit

QUESTION 249
SIMULATION

Task: Configure the firewall (fill out the table) to allow these four rules:

- Only allow the Accounting computer to have HTTPS access to the Administrative server.
- Only allow the HR computer to be able to communicate with the Server 2 System over SCP.
- Allow the IT computer to have access to both the Administrative Server 1 and Administrative Server 2



Source IP	Destination IP	Port Number	TCP/UDP	Allow/Deny

Correct Answer: See the solution below.

Section: (none)

Explanation

Explanation/Reference:

Explanation:

Use the following answer for this simulation task.
Below table has all the answers required for this question.

Source IP	Destination IP	Port Number	TCP/UDP	Allow/Deny
10.4.255.10/24	10.4.255.101	443	TCP	Allow
10.4.255.10/23	10.4.255.2	22	TCP	Allow
10.4.255.10/25	10.4.255.101	Any	Any	Allow
10.4.255.10/25	10.4.255.102	Any	Any	Allow

Firewall rules act like ACLs, and they are used to dictate what traffic can pass between the firewall and the internal network. Three possible actions can be taken based on the rule's criteria:

Block the connection
 Allow the connection
 Allow the connection only if it is secured

TCP is responsible for providing a reliable, one-to-one, connection-oriented session. TCP establishes a connection and ensures that the other end receives any packets sent. Two hosts communicate packet results with each other. TCP also ensures that packets are decoded and sequenced properly. This connection is persistent during the session. When the session ends, the connection is torn down. UDP provides an unreliable connectionless communication method between hosts. UDP is considered a best-effort protocol, but it's considerably faster than TCP. The sessions don't establish a synchronized session like the kind used in TCP, and UDP doesn't guarantee error-free communications.

The primary purpose of UDP is to send small packets of information. The application is responsible for acknowledging the correct reception of the data. Port 22 is used by both SSH and SCP with UDP.

Port 443 is used for secure web connections? HTTPS and is a TCP port.

Thus to make sure only the Accounting computer has HTTPS access to the Administrative server you should use TCP port 443 and set the rule to allow communication between 10.4.255.10/24 (Accounting) and 10.4.255.101 (Administrative server1) Thus to make sure that only the HR computer has access to Server2 over SCP you need use of TCP port 22 and set the rule to allow communication between 10.4.255.10/23 (HR) and 10.4.255.2 (server2)

Thus to make sure that the IT computer can access both the Administrative servers you need to use a port and accompanying port number and set the rule to allow communication between: 10.4.255.10.25 (IT computer) and 10.4.255.101 (Administrative server1)

10.4.255.10.25 (IT computer) and 10.4.255.102 (Administrative server2)

QUESTION 250

HOTSPOT

For each of the given items, select the appropriate authentication category from the dropdown choices. Instructions: When you have completed the simulation, please select the Done button to submit.

Hot Area:

Authentication Category

Instructions: When you have completed the simulation, Please Select the Done Button to Submit

Select the appropriate authentication type for the following items:

Item	Response
Retina scan	<div style="border: 1px solid black; padding: 2px;"><div style="border: 1px solid black; padding: 2px; text-align: right;">▼</div><div style="border: 1px solid black; padding: 2px;">Something you have</div><div style="border: 1px solid black; padding: 2px;">Something you know</div><div style="border: 1px solid black; padding: 2px;">Something you are</div><div style="border: 1px solid black; padding: 2px;">All given authentication categories</div></div>
Smart card	<div style="border: 1px solid black; padding: 2px;"><div style="border: 1px solid black; padding: 2px; text-align: right;">▼</div><div style="border: 1px solid black; padding: 2px;">Something you have</div><div style="border: 1px solid black; padding: 2px;">Something you know</div><div style="border: 1px solid black; padding: 2px;">Something you are</div><div style="border: 1px solid black; padding: 2px;">All given authentication categories</div></div>
Hardware Token	<div style="border: 1px solid black; padding: 2px;"><div style="border: 1px solid black; padding: 2px; text-align: right;">▼</div><div style="border: 1px solid black; padding: 2px;">Something you have</div><div style="border: 1px solid black; padding: 2px;">Something you know</div><div style="border: 1px solid black; padding: 2px;">Something you are</div><div style="border: 1px solid black; padding: 2px;">All given authentication categories</div></div>
Password	<div style="border: 1px solid black; padding: 2px;"><div style="border: 1px solid black; padding: 2px; text-align: right;">▼</div><div style="border: 1px solid black; padding: 2px;">Something you have</div><div style="border: 1px solid black; padding: 2px;">Something you know</div><div style="border: 1px solid black; padding: 2px;">Something you are</div><div style="border: 1px solid black; padding: 2px;">All given authentication categories</div></div>
PIN number	<div style="border: 1px solid black; padding: 2px;"><div style="border: 1px solid black; padding: 2px; text-align: right;">▼</div><div style="border: 1px solid black; padding: 2px;">Something you have</div><div style="border: 1px solid black; padding: 2px;">Something you know</div><div style="border: 1px solid black; padding: 2px;">Something you are</div><div style="border: 1px solid black; padding: 2px;">All given authentication categories</div></div>
Fingerprint scan	<div style="border: 1px solid black; padding: 2px;"><div style="border: 1px solid black; padding: 2px; text-align: right;">▼</div><div style="border: 1px solid black; padding: 2px;">Something you have</div><div style="border: 1px solid black; padding: 2px;">Something you know</div><div style="border: 1px solid black; padding: 2px;">Something you are</div><div style="border: 1px solid black; padding: 2px;">All given authentication categories</div></div>

Correct Answer:

Authentication Category

Instructions: When you have completed the simulation, Please Select the Done Button to Submit

Select the appropriate authentication type for the following items:

Item	Response
Retina scan	<div style="border: 1px solid black; padding: 2px;"><div style="border: 1px solid black; padding: 2px; text-align: right;">▼</div><div style="border: 1px solid black; padding: 2px;">Something you have</div><div style="border: 1px solid black; padding: 2px;">Something you know</div><div style="border: 1px solid black; padding: 2px; background-color: #d9ead3;">Something you are</div><div style="border: 1px solid black; padding: 2px;">All given authentication categories</div></div>
Smart card	<div style="border: 1px solid black; padding: 2px;"><div style="border: 1px solid black; padding: 2px; text-align: right;">▼</div><div style="border: 1px solid black; padding: 2px; background-color: #d9ead3;">Something you have</div><div style="border: 1px solid black; padding: 2px;">Something you know</div><div style="border: 1px solid black; padding: 2px;">Something you are</div><div style="border: 1px solid black; padding: 2px;">All given authentication categories</div></div>
Hardware Token	<div style="border: 1px solid black; padding: 2px;"><div style="border: 1px solid black; padding: 2px; text-align: right;">▼</div><div style="border: 1px solid black; padding: 2px; background-color: #d9ead3;">Something you have</div><div style="border: 1px solid black; padding: 2px;">Something you know</div><div style="border: 1px solid black; padding: 2px;">Something you are</div><div style="border: 1px solid black; padding: 2px;">All given authentication categories</div></div>
Password	<div style="border: 1px solid black; padding: 2px;"><div style="border: 1px solid black; padding: 2px; text-align: right;">▼</div><div style="border: 1px solid black; padding: 2px;">Something you have</div><div style="border: 1px solid black; padding: 2px; background-color: #d9ead3;">Something you know</div><div style="border: 1px solid black; padding: 2px;">Something you are</div><div style="border: 1px solid black; padding: 2px;">All given authentication categories</div></div>
PIN number	<div style="border: 1px solid black; padding: 2px;"><div style="border: 1px solid black; padding: 2px; text-align: right;">▼</div><div style="border: 1px solid black; padding: 2px;">Something you have</div><div style="border: 1px solid black; padding: 2px; background-color: #d9ead3;">Something you know</div><div style="border: 1px solid black; padding: 2px;">Something you are</div><div style="border: 1px solid black; padding: 2px;">All given authentication categories</div></div>
Fingerprint scan	<div style="border: 1px solid black; padding: 2px;"><div style="border: 1px solid black; padding: 2px; text-align: right;">▼</div><div style="border: 1px solid black; padding: 2px;">Something you have</div><div style="border: 1px solid black; padding: 2px;">Something you know</div><div style="border: 1px solid black; padding: 2px; background-color: #d9ead3;">Something you are</div><div style="border: 1px solid black; padding: 2px;">All given authentication categories</div></div>

Section: (none)

Explanation

Explanation/Reference:

Answer:

Something you are includes fingerprints, retina scans, or voice recognition.

Something you have includes smart cards, token devices, or keys.

Something you know includes a password, codes, PINs, combinations, or secret phrases. Somewhere you are including a physical location s or logical addresses, such as domain name, an IP address, or a MAC address.

Something you do includes your typing rhythm, a secret handshake, or a private knock http://en.wikipedia.org/wiki/Password_authentication_protocol#Working_cycle http://en.wikipedia.org/wiki/Smart_card#Security

QUESTION 251

During a data breach cleanup, it is discovered that not all of the sites involved have the necessary data wiping tools. The necessary tools are quickly distributed to the required technicians, but when should this problem BEST be revisited?

- A. Reporting
- B. Preparation
- C. Mitigation
- D. Lessons Learned

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 252

HOTSPOT

For each of the given items, select the appropriate authentication category from the drop down choices.

Select the appropriate authentication type for the following items:

Hot Area:

Item	Response
Fingerprint scan	<input type="text"/> Biometric authentication One Time Password Multi-factor PAP authentication PAP authentication Biometric authentication
Hardware token	<input type="text"/> Biometric authentication One Time Password Multi-factor PAP authentication PAP authentication Biometric authentication
Smart card	<input type="text"/> Biometric authentication One Time Password Multi-factor PAP authentication PAP authentication Biometric authentication
Password	<input type="text"/> Biometric authentication One Time Password Multi-factor PAP authentication PAP authentication Biometric authentication
PIN number	<input type="text"/> Biometric authentication One Time Password Multi-factor PAP authentication PAP authentication Biometric authentication
Retina Scan	<input type="text"/> Biometric authentication

Correct Answer:

Item	Response
Fingerprint scan	<input type="text"/> Biometric authentication One Time Password Multi-factor PAP authentication PAP authentication Biometric authentication
Hardware token	<input type="text"/> Biometric authentication One Time Password Multi-factor PAP authentication PAP authentication Biometric authentication
Smart card	<input type="text"/> Biometric authentication One Time Password Multi-factor PAP authentication PAP authentication Biometric authentication
Password	<input type="text"/> Biometric authentication One Time Password Multi-factor PAP authentication PAP authentication Biometric authentication
PIN number	<input type="text"/> Biometric authentication One Time Password Multi-factor PAP authentication PAP authentication Biometric authentication
Retina Scan	<input type="text"/> Biometric authentication

Section: (none)

Explanation

Explanation/Reference:


QUESTION 253

SIMULATION

A security administrator discovers that an attack has been completed against a node on the corporate network. All available logs were collected and stored.

You must review all network logs to discover the scope of the attack, check the box of the node(s) that have been compromised and drag and drop the appropriate actions to complete the incident response on the network. The environment is a critical production environment; perform the LEAST disruptive actions on the network, while still performing the appropriate incident responses.

Instructions: The web server, database server, IDS, and User PC are clickable. Check the box of the node(s) that have been compromised and drag and drop the appropriate actions to complete the incident response on the network. Not all actions may be used, and order is not important. If at any time you would like to bring back the initial state of the simulation, please select the Reset button. When you have completed the simulation, please select the Done button to submit. Once the simulation is submitted, please select the Next button to continue.



Correct Answer: See the solution below.


Section: (none)

Explanation

Explanation/Reference:

Explanation:

Database server was attacked, actions should be to capture network traffic and Chain of Custody.




```
Logs Actions
frcrawler.company.com -- [26/Apr/2010:00:22:49 -0400] "GET /contacts.html HTTP/1.0" 200 4933 -
"FAST-WebCrawler/2.1-pre2 (ashen@company.net)"

123.123.123.123 -- [26/Apr/2010:00:22:49 -0400] "GET /pics/5star2000.gif HTTP/1.0" 200 4005
"http://www.comptia.com/asctortf/" "Mozilla/4.05 (Macintosh; I; PPC)"

frcrawler.company.com -- [26/Apr/2010:00:22:50 -0400] "GET /news/news.html HTTP/1.0" 200 16716 "-"
"FAST-WebCrawler/2.1-pre2 (ashen@company.net)"

123.123.123.123 -- [26/Apr/2010:00:22:50 -0400] "GET /pics/5star.gif HTTP/1.0" 200 1031
"http://www.comptia.com/asctortf/" "Mozilla/4.05 (Macintosh; I; PPC)"

123.123.123.123 -- [26/Apr/2010:00:22:51 -0400] "GET /pics/a2hlogo.jpg HTTP/1.0" 200 4282
"http://www.comptia.com/asctortf/" "Mozilla/4.05 (Macintosh; I; PPC)"

123.123.123.123 -- [26/Apr/2010:00:22:51 -0400] "GET /cgi-bin/newcount?command=null&jafsof3&width=4&font=
digital&noshow HTTP/1.0" 200 36 "http://www.comptia.com/asctortf/" "Mozilla/4.05 (Macintosh; I; PPC)"

ppp931.on.company.com -- [26/Apr/2010:00:22:52 -0400] "GET /download/windows/asctab31.zip HTTP/1.0" 200 1540096
"http://www.company.com/downloads/freeware/webdevelopment/15.html" "Mozilla/4.7 [en]C-SYMPA (Win95; U)"

123.123.123.123 -- [26/Apr/2010:00:22:53 -0400] "GET /cgi-bin/newcount?command=ls HTTP/1.0" 200 36
"http://www.comptia.com/asctortf/" "Mozilla/4.05 (Macintosh; I; PPC)"

123.123.123.123 -- [26/Apr/2010:00:22:58 -0400] "GET /cgi-bin/newcount?command=whoami HTTP/1.0" 200 36
"http://www.comptia.com/asctortf/" "Mozilla/4.05 (Macintosh; I; PPC)"

151.44.15.252 -- [26/Apr/2010:00:22:58 -0400] "GET /cgi-bin/forum/commentary.pl/noframes/read/209 HTTP/1.1" 200
6863 "http://search.virgilio.it/search/cgi/search.cgi" "Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; Hotbar 4.4.7.0)"

123.123.123.123 -- [26/Apr/2010:00:22:58 -0400] "GET /cgi-bin/newcount?command=ls%20-%20data/finance/payroll/
*.xls HTTP/1.0" 200 36 "http://www.comptia.com/asctortf/" "Mozilla/4.05 (Macintosh; I; PPC)"
```

```
Logs Actions
151.44.15.252 -- [26/Apr/2010:00:22:58 -0400] "GET /cgi-bin/forum/commentary.pl/noframes/read/209 HTTP/1.1" 200
6863 "http://search.virgilio.it/search/cgi/search.cgi" "Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; Hotbar 4.4.7.0)"

123.123.123.123 -- [26/Apr/2010:00:22:58 -0400] "GET /cgi-bin/newcount?command=ls%20-%20data/finance/payroll/
*.xls HTTP/1.0" 200 36 "http://www.comptia.com/asctortf/" "Mozilla/4.05 (Macintosh; I; PPC)"

123.123.123.123 -- [26/Apr/2010:00:23:00 -0400] "GET /cgi-bin/newcount?command=scp%20data/finance/payroll/
gl-Nov2010.xls%20root@123.123.123.123: HTTP/1.0" 200 36 "http://www.comptia.com/asctortf/" "Mozilla/4.05 (Macintosh; I; PPC)"

213.60.233.243 -- [25/May/2010:00:17:09 +1200] "GET /internet/index.html HTTP/1.1" 200 6792
"http://www.company.com/video/streaming/http.html" "Mozilla/5.0 (X11; U; Linux i686; es-ES; rv:1.6) Gecko/20040413 Debian/1.6-5"

151.44.15.252 -- [25/May/2010:00:17:21 +1200] "GET /js/master.js HTTP/1.1" 200 2263 "http://www.company.com/
cgi-bin/forum/commentary.pl/noframes/read/209" "Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; Hotbar 4.4.7.0)"

151.44.15.252 -- [25/May/2010:00:17:21 +1200] "GET /css/master.css HTTP/1.1" 200 6123 "http://www.company.com/
cgi-bin/forum/commentary.pl/noframes/read/209" "Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; Hotbar 4.4.7.0)"

151.44.15.252 -- [25/May/2010:00:17:21 +1200] "GET /images/navigation/home1.gif HTTP/1.1" 200 2735 "http://www.company.com/
cgi-bin/forum/commentary.pl/noframes/read/209" "Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; Hotbar 4.4.7.0)"

151.44.15.252 -- [25/May/2010:00:17:21 +1200] "GET /data/zookeeper/ico-100.gif HTTP/1.1" 200 196 "http://www.company.com/
cgi-bin/forum/commentary.pl/noframes/read/209" "Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; Hotbar 4.4.7.0)"

151.44.15.252 -- [25/May/2010:00:17:22 +1200] "GET /adsense-alternate.html HTTP/1.1" 200 887 "http://www.company.com/
cgi-bin/forum/commentary.pl/noframes/read/209" "Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; Hotbar 4.4.7.0)"

151.44.15.252 -- [25/May/2010:00:17:39 +1200] "GET /data/zookeeper/status.html HTTP/1.1" 200 4195 "http://www.company.com/
cgi-bin/forum/comm
```

Database Server Log:



The screenshot shows a window titled "Database Server Log" with a "Logs" tab and an "Actions" button. The window contains a table with 10 rows of log entries. Each row has five columns: Event Type, Date/Time, Source, ID, and Description.

Event Type	Date/Time	Source	ID	Description
Audit Failure	2012/4/16 11:33	Microsoft Windows security auditing.	4625	Logon
Audit Success	2012/4/16 11:35	Microsoft Windows security auditing.	4672	Special Logon
Audit Success	2012/4/16 11:35	Microsoft Windows security auditing.	4624	Logon
Audit Success	2012/4/16 11:35	Microsoft Windows security auditing.	4624	Logon
Audit Success	2012/4/16 11:35	Microsoft Windows security auditing.	4648	Logon
Audit Success	2012/4/16 11:35	Microsoft Windows security auditing.	4673	Sensitive Privilege Use
Audit Failure	2012/4/16 11:35	Microsoft Windows security auditing.	4673	Sensitive Privilege Use
Audit Success	2012/4/16 11:35	Microsoft Windows security auditing.	4624	Logon
Audit Success	2012/4/16 11:35	Microsoft Windows security auditing.	4672	Special Logon

Users PC Log:



The screenshot shows a window titled "User PC Log" with a "Logs" tab and an "Actions" button. The window displays network configuration information for a workstation.

Property	Value
WORKSTATION A	
IP ADDRESS:	172.30.0.10
NETMASK:	255.255.255.0
GATEWAY	172.30.0.1

QUESTION 254

Joe, a technician, is working remotely with his company provided laptop at the coffee shop near his home. Joe is concerned that another patron of the coffee shop may be trying to access his laptop.

Which of the following is an appropriate control to use to prevent the other patron from accessing Joe's laptop directly?

- A. full-disk encryption
- B. Host-based firewall
- C. Current antivirus definitions
- D. Latest OS updates

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 255

An attacker uses a network sniffer to capture the packets of a transaction that adds \$20 to a gift card. The attacker then user a function of the sniffer to push those packets back onto the network again, adding another \$20 to the gift card. This can be done many times.

Which of the following describes this type of attack?

- A. Integer overflow attack
- B. Smurf attack
- C. Replay attack
- D. Buffer overflow attack
- E. Cross-site scripting attack

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 256

An organization is moving its human resources system to a cloud services provider. The company plans to continue using internal usernames and passwords with the service provider, but the security manager does not want the service provider to have a company of the passwords.

Which of the following options meets all of these requirements?

- A. Two-factor authentication
- B. Account and password synchronization
- C. Smartcards with PINS
- D. Federated authentication

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 257

The data backup window has expanded into the morning hours and has begun to affect production users. The main bottleneck in the process is the time it takes to replicate the backups to separate servers at the offsite data center.

Which of the following uses of deduplication could be implemented to reduce the backup window?

- A. Implement deduplication at the network level between the two locations
- B. Implement deduplication on the storage array to reduce the amount of drive space needed
- C. Implement deduplication on the server storage to reduce the data backed up
- D. Implement deduplication on both the local and remote servers

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 258

A penetration testing is preparing for a client engagement in which the tester must provide data that proves and validates the scanning tools' results.

Which of the following is the best method for collecting this information?

- A. Set up the scanning system's firewall to permit and log all outbound connections
- B. Use a protocol analyzer to log all pertinent network traffic
- C. Configure network flow data logging on all scanning system
- D. Enable debug level logging on the scanning system and all scanning tools used.

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 259

Which of the following best describes the initial processing phase used in mobile device forensics?

- A. The phone should be powered down and the battery removed to preserve the state of data on any internal or removable storage utilized by the mobile device
- B. The removable data storage cards should be processed first to prevent data alteration when examining the mobile device
- C. The mobile device should be examined first, then removable storage and lastly the phone without removable storage should be examined again
- D. The phone and storage cards should be examined as a complete unit after examining the removable storage cards separately.

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 260

Ann a security analyst is monitoring the IDS console and noticed multiple connections from an internal host to a suspicious call back domain.

Which of the following tools would aid her to decipher the network traffic?

- A. Vulnerability Scanner
- B. NMAP
- C. NETSTAT
- D. Packet Analyzer

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 261

An administrator is testing the collision resistance of different hashing algorithms.

Which of the following is the strongest collision resistance test?

- A. Find two identical messages with different hashes
- B. Find two identical messages with the same hash
- C. Find a common has between two specific messages
- D. Find a common hash between a specific message and a random message

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 262

The SSID broadcast for a wireless router has been disabled but a network administrator notices that unauthorized users are accessing the wireless network. The administer has determined that attackers are still able to detect the presence of the wireless network despite the fact the SSID has been disabled.

Which of the following would further obscure the presence of the wireless network?

- A. Upgrade the encryption to WPA or WPA2
- B. Create a non-zero length SSID for the wireless router
- C. Reroute wireless users to a honeypot
- D. Disable responses to a broadcast probe request

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 263

Which of the following should be used to implement voice encryption?

- A. SSLv3
- B. VDSL
- C. SRTP
- D. VoIP

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 264

During an application design, the development team specifies a LDAP module for single sign-on communication with the company's access control database.

This is an example of which of the following?

- A. Application control
- B. Data in-transit
- C. Identification
- D. Authentication

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 265

After a merger, it was determined that several individuals could perform the tasks of a network administrator in the merged organization. Which of the following should have been performed to ensure that employees have proper access?

- A. Time-of-day restrictions
- B. Change management
- C. Periodic auditing of user credentials
- D. User rights and permission review

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 266

A company exchanges information with a business partner. An annual audit of the business partner is conducted against the SLA in order to verify:

- A. Performance and service delivery metrics
- B. Backups are being performed and tested

- C. Data ownership is being maintained and audited
- D. Risk awareness is being adhered to and enforced

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 267

Which of the following is the proper way to quantify the total monetary damage resulting from an exploited vulnerability?

- A. Calculate the ALE
- B. Calculate the ARO
- C. Calculate the MTBF
- D. Calculate the TCO

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 268

A security administrator needs to implement a system that detects possible intrusions based upon a vendor provided list.

Which of the following BEST describes this type of IDS?

- A. Signature based
- B. Heuristic
- C. Anomaly-based
- D. Behavior-based

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 269

The chief Security Officer (CSO) has reported a rise in data loss but no break ins have occurred.

By doing which of the following is the CSO most likely to reduce the number of incidents?

- A. Implement protected distribution
- B. Empty additional firewalls
- C. Conduct security awareness training
- D. Install perimeter barricades

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 270

Having adequate lighting on the outside of a building is an example of which of the following security controls?

- A. Deterrent
- B. Compensating
- C. Detective
- D. Preventative

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 271

During a recent audit, it was discovered that several user accounts belonging to former employees were still active and had valid VPN permissions.

Which of the following would help reduce the amount of risk the organization incurs in this situation in the future?

- A. Time-of-day restrictions
- B. User access reviews
- C. Group-based privileges
- D. Change management policies

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 272

An organization is working with a cloud services provider to transition critical business applications to a hybrid cloud environment. The organization retains sensitive customer data and wants to ensure the provider has sufficient administrative and logical controls in place to protect its data.

In which of the following documents would this concern MOST likely be addressed?

- A. Service level agreement
- B. Interconnection security agreement
- C. Non-disclosure agreement
- D. Business process analysis

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 273

A security administrator wants to implement a company-wide policy to empower data owners to manage and enforce access control rules on various resources.

Which of the following should be implemented?

- A. Mandatory access control
- B. Discretionary access control
- C. Role based access control
- D. Rule-based access control

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 274

Which of the following BEST describes an attack where communications between two parties are intercepted and forwarded to each party with neither party being aware of the interception and potential modification to the communications?

- A. Spear phishing
- B. Man-in-the-middle
- C. URL hijacking
- D. Transitive access

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 275

A security administrator wishes to implement a secure a method of file transfer when communicating with outside organizations.

Which of the following protocols would BEST facilitate secure file transfers? (Select TWO)

- A. SCP
- B. TFTP
- C. SNMP
- D. FTP
- E. SMTP
- F. FTPS

Correct Answer: AF

Section: (none)

Explanation

Explanation/Reference:

QUESTION 276

A technician needs to implement a system which will properly authenticate users by their username and password only when the users are logging in from a computer in the office building. Any attempt to authenticate from a location other than the office building should be rejected.

Which of the following **MUST** the technician implement?

- A. Dual factor authentication
- B. Transitive authentication
- C. Single factor authentication
- D. Biometric authentication

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 277

After correctly configuring a new wireless enabled thermostat to control the temperature of the company's meeting room, Joe, a network administrator determines that the thermostat is not connecting to the internet-based control system. Joe verifies that the thermostat received the expected network parameters and it is associated with the AP. Additionally, the other wireless mobile devices connected to the same wireless network are functioning properly. The network administrator verified that the thermostat works when tested at his residence.

Which of the following is the **MOST** likely reason the thermostat is not connecting to the internet?

- A. The company implements a captive portal
- B. The thermostat is using the incorrect encryption algorithm
- C. the WPA2 shared key is incorrect
- D. The company's DHCP server scope is full

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 278

A Chief Security Officer (CSO) has been unsuccessful in attempts to access the website for a potential partner (www.example.net).

Which of the following rules is preventing the CSO from accessing the site?

Blocked sites: *.nonews.com, *.rumorhasit.net, *.mars?

- A. Rule 1: deny from inside to outside source any destination any service smtp
- B. Rule 2: deny from inside to outside source any destination any service ping
- C. Rule 3: deny from inside to outside source any destination {blocked sites} service http-https
- D. Rule 4: deny from any to any source any destination any service any

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 279

Malware that changes its binary pattern on specific dates at specific times to avoid detection is known as a (n):

- A. armored virus
- B. logic bomb
- C. polymorphic virus
- D. Trojan

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 280

A company is planning to encrypt the files in several sensitive directories of a file server with a symmetric key. Which of the following could be used?

- A. RSA
- B. TwoFish
- C. Diffie-Helman
- D. NTLMv2
- E. RIPEMD

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 281

Which of the following is a document that contains detailed information about actions that include how something will be done, when the actions will be performed, and penalties for failure?

- A. MOU
- B. ISA
- C. BPA
- D. SLA

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 282

Which of the following are MOST susceptible to birthday attacks?

- A. Hashed passwords
- B. Digital certificates
- C. Encryption passwords
- D. One time passwords

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 283

Joe a computer forensic technician responds to an active compromise of a database server. Joe first collects information in memory, then collects network traffic and finally conducts an image of the hard drive.

Which of the following procedures did Joe follow?

- A. Order of volatility
- B. Chain of custody
- C. Recovery procedure
- D. Incident isolation

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 284

A system administrator wants to implement an internal communication system that will allow employees to send encrypted messages to each other. The system must also support non- repudiation. Which of the following implements all these requirements?

- A. Bcrypt
- B. Blowfish
- C. PGP
- D. SHA

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 285

Given the log output:

```
Max 15 00:15:23.431 CRT: #SEC_LOGIN-5-LOGIN SUCCESS:
Login Success [user: msmith] [Source: 10.0.12.45]
[localport: 23] at 00:15:23:431 CET Sun Mar 15 2015
```

Which of the following should the network administrator do to protect data security?

- A. Configure port security for logons
- B. Disable telnet and enable SSH
- C. Configure an AAA server
- D. Disable password and enable RSA authentication

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 286

The firewall administrator is adding a new certificate for the company's remote access solution. The solution requires that the uploaded file contain the entire certificate chain for the certificate to load properly. The administrator loads the company certificate and the root CA certificate into the file. The file upload is rejected.

Which of the following is required to complete the certificate chain?

- A. Certificate revocation list
- B. Intermediate authority
- C. Recovery agent
- D. Root of trust

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 287

The Chief Executive Officer (CEO) of a major defense contracting company is traveling overseas for a conference. The CEO will be taking a laptop.

Which of the following should the security administrator implement to ensure confidentiality of the data if the laptop were to be stolen or lost during the trip?

- A. Remote wipe
- B. Full device encryption
- C. BIOS password
- D. GPS tracking

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 288

In an effort to reduce data storage requirements, some company devices hash every file and eliminate duplicates. The data processing routines are time sensitive so the hashing algorithm is fast and supported on a wide range of systems.

Which of the following algorithms is BEST suited for this purpose?

- A. MD5
- B. SHA
- C. RIPEMD
- D. AES

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 289

A new security policy in an organization requires that all file transfers within the organization be completed using applications that provide secure transfer. Currently, the organization uses FTP and HTTP to transfer files.

Which of the following should the organization implement in order to be compliant with the new policy?

- A. Replace FTP with SFTP and replace HTTP with TLS
- B. Replace FTP with FTPS and replaces HTTP with TFTP
- C. Replace FTP with SFTP and replace HTTP with Telnet
- D. Replace FTP with FTPS and replaces HTTP with IPSec

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 290

A product manager is concerned about continuing operations at a facility located in a region undergoing significant political unrest. After consulting with senior management, a decision is made to suspend operations at the facility until the situation stabilizes.

Which of the following risk management strategies BEST describes management's response?

- A. Deterrence
- B. Mitigation
- C. Avoidance
- D. Acceptance

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 291

Joe notices there are several user accounts on the local network generating spam with embedded malicious code.

Which of the following technical control should Joe put in place to BEST reduce these incidents?

- A. Account lockout
- B. Group Based Privileges
- C. Least privilege
- D. Password complexity

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 292

Two users need to securely share encrypted files via email. Company policy prohibits users from sharing credentials or exchanging encryption keys.

Which of the following can be implemented to enable users to share encrypted data while abiding by company policies?

- A. Key escrow
- B. Digital signatures
- C. PKI
- D. Hashing

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 293

An information system owner has supplied a new requirement to the development team that calls for increased non-repudiation within the application. After undergoing several audits, the owner determined that current levels of non-repudiation were insufficient.

Which of the following capabilities would be MOST appropriate to consider implementing in response to the new requirement?

- A. Transitive trust
- B. Symmetric encryption
- C. Two-factor authentication
- D. Digital signatures
- E. One-time passwords

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 294

Joe a website administrator believes he owns the intellectual property for a company invention and has been replacing image files on the company's public facing website in the DMZ. Joe is using steganography to hide

stolen data.

Which of the following controls can be implemented to mitigate this type of inside threat?

- A. Digital signatures
- B. File integrity monitoring
- C. Access controls
- D. Change management
- E. Stateful inspection firewall

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 295

The process of applying a salt and cryptographic hash to a password then repeating the process many times is known as which of the following?

- A. Collision resistance
- B. Rainbow table
- C. Key stretching
- D. Brute force attack

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 296

Which of the following is commonly used for federated identity management across multiple organizations?

- A. SAML
- B. Active Directory
- C. Kerberos
- D. LDAP

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 297

While performing surveillance activities, an attacker determines that an organization is using 802.1X to secure LAN access.

Which of the following attack mechanisms can the attacker utilize to bypass the identified network security?

- A. MAC spoofing

- B. Pharming
- C. Xmas attack
- D. ARP poisoning

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 298

A security administrator has been asked to implement a VPN that will support remote access over IPSEC.

Which of the following is an encryption algorithm that would meet this requirement?

- A. MD5
- B. AES
- C. UDP
- D. PKI

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 299

A security administrator is evaluating three different services: radius, diameter, and Kerberos.

Which of the following is a feature that is UNIQUE to Kerberos?

- A. It provides authentication services
- B. It uses tickets to identify authenticated users
- C. It provides single sign-on capability
- D. It uses XML for cross-platform interoperability

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 300

Which of the following can affect electrostatic discharge in a network operations center?

- A. Fire suppression
- B. Environmental monitoring
- C. Proximity card access
- D. Humidity controls

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 301

A malicious attacker has intercepted HTTP traffic and inserted an ASCII line that sets the referrer URL.

Which of the following is the attacker most likely utilizing?

- A. Header manipulation
- B. Cookie hijacking
- C. Cross-site scripting
- D. Xml injection

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 302

A company would like to prevent the use of a known set of applications from being used on company computers.

Which of the following should the security administrator implement?

- A. Whitelisting
- B. Anti-malware
- C. Application hardening
- D. Blacklisting
- E. Disable removable media

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 303

A new hire wants to use a personally owned phone to access company resources. The new hire expresses concern about what happens to the data on the phone when they leave the company.

Which of the following portions of the company's mobile device management configuration would allow the company data to be removed from the device without touching the new hire's data?

- A. Asset control
- B. Device access control
- C. Storage lock out
- D. Storage segmentation

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 304

A consultant has been tasked to assess a client's network. The client reports frequent network outages. Upon viewing the spanning tree configuration, the consultant notices that an old and low performing edge switch on the network has been elected to be the root bridge.

Which of the following explains this scenario?

- A. The switch also serves as the DHCP server
- B. The switch has the lowest MAC address
- C. The switch has spanning tree loop protection enabled
- D. The switch has the fastest uplink port

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 305

An organization is trying to decide which type of access control is most appropriate for the network. The current access control approach is too complex and requires significant overhead.

Management would like to simplify the access control and provide user with the ability to determine what permissions should be applied to files, document, and directories. The access control method that BEST satisfies these objectives is:

- A. Rule-based access control
- B. Role-based access control
- C. Mandatory access control
- D. Discretionary access control

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 306

While reviewing the security controls in place for a web-based application, a security controls assessor notices that there are no password strength requirements in place. Because of this vulnerability, passwords might be easily discovered using a brute force attack.

Which of the following password requirements will MOST effectively improve the security posture of the application against these attacks? (Select two)

- A. Minimum complexity
- B. Maximum age limit
- C. Maximum length
- D. Minimum length
- E. Minimum age limit

F. Minimum re-use limit

Correct Answer: AD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 307

A security administrator determined that users within the company are installing unapproved software. Company policy dictates that only certain applications may be installed or ran on the user's computers without exception.

Which of the following should the administrator do to prevent all unapproved software from running on the user's computer?

- A. Deploy antivirus software and configure it to detect and remove pirated software
- B. Configure the firewall to prevent the downloading of executable files
- C. Create an application whitelist and use OS controls to enforce it
- D. Prevent users from running as administrator so they cannot install software.

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 308

A security administrator is tasked with implementing centralized management of all network devices. Network administrators will be required to logon to network devices using their LDAP credentials. All command executed by network administrators on network devices must fall within a preset list of authorized commands and must be logged to a central facility.

Which of the following configuration commands should be implemented to enforce this requirement?

- A. LDAP server 10.55.199.3
- B. CN=company, CN=com, OU=netadmin, DC=192.32.10.233
- C. SYSLOG SERVER 172.16.23.50
- D. TACAS server 192.168.1.100

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 309

A website administrator has received an alert from an application designed to check the integrity of the company's website. The alert indicated that the hash value for a particular MPEG file has changed. Upon further investigation, the media appears to be the same as it was before the alert.

Which of the following methods has MOST likely been used?

- A. Cryptography

- B. Time of check/time of use
- C. Man in the middle
- D. Covert timing
- E. Steganography

Correct Answer: E

Section: (none)

Explanation

Explanation/Reference:

QUESTION 310

An attacker captures the encrypted communication between two parties for a week, but is unable to decrypt the messages. The attacker then compromises the session key during one exchange and successfully compromises a single message. The attacker plans to use this key to decrypt previously captured and future communications, but is unable to.

This is because the encryption scheme in use adheres to:

- A. Asymmetric encryption
- B. Out-of-band key exchange
- C. Perfect forward secrecy
- D. Secure key escrow

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 311

Many employees are receiving email messages similar to the one shown below:

```
From IT department
To employee
Subject email quota exceeded
```

Please click on the following link <http://www.website.info/email.php?quota=1Gb> and provide your username and password to increase your email quota. Upon reviewing other similar emails, the security administrator realized that all the phishing URLs have the following common elements; they all use HTTP, they all come from .info domains, and they all contain the same URI.

Which of the following should the security administrator configure on the corporate content filter to prevent users from accessing the phishing URL, while at the same time minimizing false positives?

- A. BLOCK `http://www.*.info/`
- B. DROP `http://www.website.info/email.php?*`
- C. Redirect `http://www.*.info/email.php?quota=*TOhttp://company.com/corporate_policy.html`
- D. DENY `http://*.info/email.php?quota=1Gb`

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 312

A security analyst is reviewing the following packet capture of an attack directed at a company's server located in the DMZ:

```
10:55:24.126586 IP 192.168.1.10.5000 > 172.31.67.4.21: Flags [S]  
10:55:24.126596 IP 192.168.1.10.5001 > 172.31.67.4.22: Flags [S]  
10:55:24.126601 IP 192.168.1.10.5002 > 172.31.67.4.25: Flags [S]  
10:55:24.126608 IP 192.168.1.10.5003 > 172.31.67.4.37: Flags [S]
```

Which of the following ACLs provides the BEST protection against the above attack and any further attacks from the same IP, while minimizing service interruption?

- A. DENY TCO From ANY to 172.31.64.4
- B. Deny UDP from 192.168.1.0/24 to 172.31.67.0/24
- C. Deny IP from 192.168.1.10/32 to 0.0.0.0/0
- D. Deny TCP from 192.168.1.10 to 172.31.67.4

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 313

The IT department needs to prevent users from installing untested applications.

Which of the following would provide the BEST solution?

- A. Job rotation
- B. Least privilege
- C. Account lockout
- D. Antivirus

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 314

An attack that is using interference as its main attack to impede network traffic is which of the following?

- A. Introducing too much data to a targets memory allocation
- B. Utilizing a previously unknown security flaw against the target
- C. Using a similar wireless configuration of a nearby network
- D. Inundating a target system with SYN requests

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 315

An organization wants to conduct secure transactions of large data files. Before encrypting and exchanging the data files, the organization wants to ensure a secure exchange of keys.

Which of the following algorithms is appropriate for securing the key exchange?

- A. DES
- B. Blowfish
- C. DSA
- D. Diffie-Hellman
- E. 3DES

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 316

Ann, a college professor, was recently reprimanded for posting disparaging remarks re-grading her coworkers on a web site. Ann stated that she was not aware that the public was able to view her remarks.

Which of the following security-related trainings could have made Ann aware of the repercussions of her actions?

- A. Data Labeling and disposal
- B. Use of social networking
- C. Use of P2P networking
- D. Role-based training

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 317

During a recent audit, it was discovered that many services and desktops were missing security patches.

Which of the following BEST describes the assessment that was performed to discover this issue?

- A. Network mapping
- B. Vulnerability scan
- C. Port Scan
- D. Protocol analysis

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 318

When generating a request for a new x.509 certificate for securing a website, which of the following is the MOST appropriate hashing algorithm?

- A. RC4
- B. MD5
- C. HMAC
- D. SHA

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 319

The administrator installs database software to encrypt each field as it is written to disk.

Which of the following describes the encrypted data?

- A. In-transit
- B. In-use
- C. Embedded
- D. At-rest

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 320

Which of the following allows an application to securely authenticate a user by receiving credentials from a web domain?

- A. TACACS+
- B. RADIUS
- C. Kerberos
- D. SAML

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 321

A network technician is trying to determine the source of an ongoing network based attack.

Which of the following should the technician use to view IPv4 packet data on a particular internal network segment?

- A. Proxy
- B. Protocol analyzer
- C. Switch
- D. Firewall

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 322

The security administrator has noticed cars parking just outside of the building fence line.

Which of the following security measures can the administrator use to help protect the company's WiFi network against war driving? (Select TWO)

- A. Create a honeynet
- B. Reduce beacon rate
- C. Add false SSIDs
- D. Change antenna placement
- E. Adjust power level controls
- F. Implement a warning banner

Correct Answer: DE

Section: (none)

Explanation

Explanation/Reference:

QUESTION 323

A security administrator suspects that data on a server has been exfiltrated as a result of un-authorized remote access.

Which of the following would assist the administrator in confirming the suspicions? (Select TWO)

- A. Networking access control
- B. DLP alerts
- C. Log analysis
- D. File integrity monitoring
- E. Host firewall rules

Correct Answer: BC

Section: (none)

Explanation

Explanation/Reference:

QUESTION 324

A company is deploying a new VoIP phone system. They require 99.999% uptime for their phone service and are concerned about their existing data network interfering with the VoIP phone system. The core switches in the existing data network are almost fully saturated.

Which of the following options will provide the best performance and availability for both the VoIP traffic, as well as the traffic on the existing data network?

- A. Put the VoIP network into a different VLAN than the existing data network.
- B. Upgrade the edge switches from 10/100/1000 to improve network speed
- C. Physically separate the VoIP phones from the data network
- D. Implement flood guards on the data network

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 325

A server administrator needs to administer a server remotely using RDP, but the specified port is closed on the outbound firewall on the network.

The access the server using RDP on a port other than the typical registered port for the RDP protocol?

- A. TLS
- B. MPLS
- C. SCP
- D. SSH

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 326

Which of the following can be used to control specific commands that can be executed on a network infrastructure device?

- A. LDAP
- B. Kerberos
- C. SAML
- D. TACACS+

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 327

Company XYZ has decided to make use of a cloud-based service that requires mutual, certificate-based authentication with its users. The company uses SSL-inspecting IDS at its network boundary and is concerned

about the confidentiality of the mutual authentication.

Which of the following model prevents the IDS from capturing credentials used to authenticate users to the new service or keys to decrypt that communication?

- A. Use of OATH between the user and the service and attestation from the company domain
- B. Use of active directory federation between the company and the cloud-based service
- C. Use of smartcards that store x.509 keys, signed by a global CA
- D. Use of a third-party, SAML-based authentication service for attestation

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 328

Six months into development, the core team assigned to implement a new internal piece of software must convene to discuss a new requirement with the stake holders. A stakeholder identified a missing feature critical to the organization, which must be implemented. The team needs to validate the feasibility of the newly introduced requirement and ensure it does not introduce new vulnerabilities to the software and other applications that will integrate with it.

Which of the following BEST describes what the company?

- A. The system integration phase of the SDLC
- B. The system analysis phase of SSDSLC
- C. The system design phase of the SDLC
- D. The system development phase of the SDLC

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 329

A company is investigating a data compromise where data exfiltration occurred. Prior to the investigation, the supervisor terminates an employee as a result of the suspected data loss. During the investigation, the supervisor is absent for the interview, and little evidence can be provided from the role-based authentication system in use by the company.

The situation can be identified for future mitigation as which of the following?

- A. Job rotation
- B. Log failure
- C. Lack of training
- D. Insider threat

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 330

A security administrator needs an external vendor to correct an urgent issue with an organization's physical access control system (PACS). The PACS does not currently have internet access because it is running a legacy operation system.

Which of the following methods should the security administrator select the best balances security and efficiency?

- A. Temporarily permit outbound internet access for the pacs so desktop sharing can be set up
- B. Have the external vendor come onsite and provide access to the PACS directly
- C. Set up VPN concentrator for the vendor and restrict access to the PACS using desktop sharing
- D. Set up a web conference on the administrator's pc; then remotely connect to the pacs

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 331

A datacenter manager has been asked to prioritize critical system recovery priorities.

Which of the following is the MOST critical for immediate recovery?

- A. Communications software
- B. Operating system software
- C. Weekly summary reports to management
- D. Financial and production software

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 332

Which of the following techniques can be bypass a user or computer's web browser privacy settings? (Select Two)

- A. SQL injection
- B. Session hijacking
- C. Cross-site scripting
- D. Locally shared objects
- E. LDAP injection

Correct Answer: BC

Section: (none)

Explanation

Explanation/Reference:

QUESTION 333

When designing a web based client server application with single application server and database cluster backend, input validation should be performed:

- A. On the client
- B. Using database stored procedures
- C. On the application server
- D. Using HTTPS

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 334

Which of the following delineates why it is important to perform egress filtering and monitoring on Internet connected security zones of interfaces on a firewall?

- A. Egress traffic is more important than ingress traffic for malware prevention
- B. To rebalance the amount of outbound traffic and inbound traffic
- C. Outbound traffic could be communicating to known botnet sources
- D. To prevent DDoS attacks originating from external network

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 335

The help desk is receiving numerous password change alerts from users in the accounting department. These alerts occur multiple times on the same day for each of the affected users' accounts.

Which of the following controls should be implemented to curtail this activity?

- A. Password Reuse
- B. Password complexity
- C. Password History
- D. Password Minimum age

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 336

Which of the following would enhance the security of accessing data stored in the cloud? (Select TWO)

- A. Block level encryption

- B. SAML authentication
- C. Transport encryption
- D. Multifactor authentication
- E. Predefined challenge questions
- F. Hashing

Correct Answer: BD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 337

A remote user (User1) is unable to reach a newly provisioned corporate windows workstation. The system administrator has been given the following log files from the VPN, corporate firewall and workstation host.

Which of the following is preventing the remote user from being able to access the workstation?

- A. Network latency is causing remote desktop service request to time out
- B. User1 has been locked out due to too many failed passwords
- C. Lack of network time synchronization is causing authentication mismatches
- D. The workstation has been compromised and is accessing known malware sites
- E. The workstation host firewall is not allowing remote desktop connections

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 338

During a third-party audit, it is determined that a member of the firewall team can request, approve, and implement a new rule-set on the firewall.

Which of the following will the audit team most likely recommend during the audit out brief?

- A. Discretionary access control for the firewall team
- B. Separation of duties policy for the firewall team
- C. Least privilege for the firewall team
- D. Mandatory access control for the firewall team

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 339

Which of the following is the appropriate network structure used to protect servers and services that must be provided to external clients without completely eliminating access for internal users?

- A. NAC

- B. VLAN
- C. DMZ
- D. Subnet

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 340

An administrator has configured a new Linux server with the FTP service. Upon verifying that the service was configured correctly, the administrator has several users test the FTP service. Users report that they are able to connect to the FTP service and download their personal files, however, they cannot transfer new files to the server.

Which of the following will most likely fix the uploading issue for the users?

- A. Create an ACL to allow the FTP service write access to user directories
- B. Set the Boolean selinux value to allow FTP home directory uploads
- C. Reconfigure the ftp daemon to operate without utilizing the PSAV mode
- D. Configure the FTP daemon to utilize PAM authentication pass through user permissions

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 341

An administrator thinks the UNIX systems may be compromised, but a review of system log files provides no useful information. After discussing the situation with the security team, the administrator suspects that the attacker may be altering the log files and removing evidence of intrusion activity.

Which of the following actions will help detect attacker attempts to further alter log files?

- A. Enable verbose system logging
- B. Change the permissions on the user's home directory
- C. Implement remote syslog
- D. Set the bash_history log file to "read only"

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 342

A global gaming console manufacturer is launching a new gaming platform to its customers.

Which of the following controls reduces the risk created by malicious gaming customers attempting to circumvent control by way of modifying consoles?

- A. Firmware version control
- B. Manual software upgrades
- C. Vulnerability scanning
- D. Automatic updates
- E. Network segmentation
- F. Application firewalls

Correct Answer: AD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 343

An audit has revealed that database administrators are also responsible for auditing database changes and backup logs.

Which of the following access control methodologies would BEST mitigate this concern?

- A. Time of day restrictions
- B. Principle of least privilege
- C. Role-based access control
- D. Separation of duties

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 344

An external contractor, who has not been given information about the software or network architecture, is conducting a penetration test. Which of the following BEST describes the test being performed?

- A. Black box
- B. White box
- C. Passive reconnaissance
- D. Vulnerability scan

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 345

A security administrator receives an alert from a third-party vendor that indicates a certificate that was installed in the browser has been hijacked at the root of a small public CA. The security administrator knows there are at least four different browsers in use on more than a thousand computers in the domain worldwide.

Which of the following solutions would be BEST for the security administrator to implement to most efficiently assist with this issue?

- A. SSL
- B. CRL
- C. PKI
- D. ACL

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 346

A security analyst has set up a network tap to monitor network traffic for vulnerabilities. Which of the following techniques would BEST describe the approach the analyst has taken?

- A. Compliance scanning
- B. Credentialed scanning
- C. Passive vulnerability scanning
- D. Port scanning

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 347

Due to regulatory requirements, a security analyst must implement full drive encryption on a Windows file server.

Which of the following should the analyst implement on the system to BEST meet this requirement? (Choose two.)

- A. Enable and configure EFS on the file system.
- B. Ensure the hardware supports TPM, and enable it in the BIOS.
- C. Ensure the hardware supports VT-X, and enable it in the BIOS.
- D. Enable and configure BitLocker on the drives.

Correct Answer: BD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 348

A company's loss control department identifies theft as a recurring loss type over the past year. Based on the department's report, the Chief Information Officer (CIO) wants to detect theft of datacenter equipment.

Which of the following controls should be implemented?

- A. Biometrics
- B. Cameras

- C. Motion detectors
- D. Mantraps

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 349

Which of the following penetration testing concepts is being used when an attacker uses public Internet databases to enumerate and learn more about a target?

- A. Reconnaissance
- B. Initial exploitation
- C. Pivoting
- D. Vulnerability scanning
- E. White box testing

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 350

While performing a penetration test, the technicians want their efforts to go unnoticed for as long as possible while they gather useful data about the network they are assessing.

Which of the following would be the BEST choice for the technicians?

- A. Vulnerability scanner
- B. Offline password cracker
- C. Packet sniffer
- D. Banner grabbing

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 351

A security analyst captures forensic evidence from a potentially compromised system for further investigation. The evidence is documented and securely stored to FIRST:

- A. maintain the chain of custody.
- B. preserve the data.
- C. obtain a legal hold.
- D. recover data at a later time.

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 352

A security analyst is investigating a security breach. Upon inspection of the audit an access logs, the analyst notices the host was accessed and the /etc/passwd file was modified with a new entry for username "gotcha" and user ID of 0. Which of the following are the MOST likely attack vector and tool the analyst should use to determine if the attack is still ongoing? (Select TWO)

- A. Logic bomb
- B. Backdoor
- C. Keylogger
- D. Netstat
- E. Tracert
- F. Ping

Correct Answer: BD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 353

A company recently replaced its unsecure email server with a cloud-based email and collaboration solution that is managed and insured by a third party. Which of the following actions did the company take regarding risks related to its email and collaboration services?

- A. Transference
- B. Acceptance
- C. Mitigation
- D. Deterrence

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 354

A security administrator is reviewing the following network capture:

```
192.168.20.43:2043 -> 10.234.66.21:80  
POST "192.168.20.43 https://www.banksite.com<ENTER>JoeUsr<BackSPACE>erPassword<ENTER>"
```

Which of the following malware is MOST likely to generate the above information?

- A. Keylogger
- B. Ransomware
- C. Logic bomb
- D. Adware

Correct Answer: A
Section: (none)
Explanation

Explanation/Reference:

QUESTION 355

A network administrator adds an ACL to allow only HTTPS connections from host 192.168.2.3 to web server 192.168.5.2. After applying the rule, the host is unable to access the server. The network administrator runs the output and notices the configuration below:

```
accesslist 102 permit tcp host 192.168.2.6 eq 3389 host 192.168.5.2
accesslist 102 deny ip any any log
accesslist 102 permit tcp host 192.168.2.3 eq 443 host 192.168.5.2
```

Which of the following rules would be BEST to resolve the issue?

- A.

```
accesslist 102 permit tcp host 192.168.2.3 host 192.168.5.2 eq 443
accesslist 102 permit tcp host 192.168.2.6 host 192.168.5.2 eq 3389
accesslist 102 deny ip any any log
```
- B.

```
accesslist 102 permit tcp host 192.168.2.6 host 192.168.5.2 eq 3389
accesslist 102 deny ip any any log
accesslist 102 permit tcp host 192.168.2.3 host 192.168.5.2 eq 443
```
- C.

```
accesslist 102 permit tcp host 192.168.2.3 eq 443 host 192.168.5.2
accesslist 102 deny ip any any log
accesslist 102 permit tcp host 192.168.2.6 eq 3389 host 192.168.5.2
```
- D.

```
accesslist 102 permit tcp host 192.168.2.3 host 192.168.5.2
accesslist 102 permit tcp host 192.168.2.6 eq 3389 host 192.168.5.2
accesslist 102 deny ip any any log
```

Correct Answer: A
Section: (none)
Explanation

Explanation/Reference:

QUESTION 356

A datacenter recently experienced a breach. When access was gained, an RF device was used to access an air-gapped and locked server rack. Which of the following would BEST prevent this type of attack?

- A. Faraday cage
- B. Smart cards
- C. Infrared detection
- D. Alarms

Correct Answer: A
Section: (none)
Explanation

Explanation/Reference:

QUESTION 357

A security analyst is working on a project that requires the implementation of a stream cipher. Which of the following should the analyst use?

- A. Hash function
- B. Elliptic curve
- C. Symmetric algorithm
- D. Public key cryptography

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 358

Which of the following would allow for the QUICKEST restoration of a server into a warm recovery site in a case in which server data mirroring is not enabled?

- A. Full backup
- B. Incremental backup
- C. Differential backup
- D. Snapshot

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 359

In determining when it may be necessary to perform a credentialed scan against a system instead of a non-credentialed scan, which of the following requirements is MOST likely to influence this decision?

- A. The scanner must be able to enumerate the host OS of devices scanned.
- B. The scanner must be able to footprint the network.
- C. The scanner must be able to check for open ports with listening services.
- D. The scanner must be able to audit file system permissions

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 360

The computer resource center issued smartphones to all first-level and above managers. The managers have the ability to install mobile tools. Which of the following tools should be implemented to control the types of tools the managers install?

- A. Download manager
- B. Content manager

- C. Segmentation manager
- D. Application manager

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference: