

Call Forward Unregistered (CFUR)

« [IOS DialPlan \(/workbook/view/ccie-collaboration/task/ios-dialplan-MzA2Mg%3D%3D\)](#) | [SiteC Intrasite & Intersite Calling with HQ & SiteB \(/workbook/view/ccie-collaboration/task/sitec-intrasite-intersite-calling-with-hq-siteb-MzA2NA%3D%3D\)](#) »

Last updated: November 10, 2017

Tasks

- Since Site C Phone 1 has registered to local CME R3 gateway, configure HQ cluster for CFUR feature so if HQ Phones dial Site C Phone 1 the call rings on Site C Phone 1.
- Also ensure if Site C Phone 1 ever goes back to HQ Cluster AAR should still work.

Configuration: [Click to collapse](#)

ON R3

```
dial-peer voice 111006412 voip
destination-pattern ^4...$
preference 1
```

HQ Publisher

Device > Phone (**Go to Site C Phone 1. Go to line 4001**)

Call Forward and Call Pickup Settings	Voice Mail	Destination	Calling Search Space
Calling Search Space Activation Policy			Use System Default
Forward All	<input type="checkbox"/> or		< None >
Secondary Calling Search Space for Forward All			< None >
Forward Busy Internal	<input type="checkbox"/> or		< None >
Forward Busy External	<input type="checkbox"/> or		< None >
Forward No Answer Internal	<input type="checkbox"/> or		< None >
Forward No Answer External	<input type="checkbox"/> or		< None >
Forward No Coverage Internal	<input type="checkbox"/> or		< None >
Forward No Coverage External	<input type="checkbox"/> or		< None >
Forward on CTI Failure	<input type="checkbox"/> or		< None >
Forward Unregistered Internal	<input type="checkbox"/> or	+85270044001	CSS-Common-Int
Forward Unregistered External	<input type="checkbox"/> or	+85270044001	CSS-Common-Int

Verification

Make a call from HQ Phone 1 to Site C Phone 1

« [IOS DialPlan \(/workbook/view/ccie-collaboration/task/ios-dialplan-MzA2Mg%3D%3D\)](#) | [SiteC Intrasite & Intersite Calling with HQ & SiteB \(/workbook/view/ccie-collaboration/task/sitec-intrasite-intersite-calling-with-hq-siteb-MzA2NA%3D%3D\)](#) »